

INDEX OF AUTHORS

- Abildskov, J. A., 286, 418
Aguirre, C. V., 520
Aikawa, J. K., 891, 897
Albert, R. E., 1047
Alcock, A. J. W., 986
Amram, S. S., 69
Antal, B. B., 1043
Askovitz, S. I., 1005

Bailey, F. R., 921
Baker, R. R., 82
Baldomir, J. M., 520
Bassett, S. H., 630
Bean, W. B., 1, 185
Beazley, H. L., 96
Bellet, S., 397
Bergy, G. G., 207
Bernstein, A., 52
Bernstein, L. M., 353
Bing, R. J., 635
Black, H., 955
Black, H., 974
Bosher, L. H., 247
Boyd, R. S., 625
Brandenburg, R. O., 994
Brandfonbrener, M., 557, 567
Braunstein, J. R., 432
Braunwald, E., 69
Brink, A. J., 604, 612
Briller, S. A., 838
Brown, J. W., 819
Bruce, R. A., 207
Bruwer, A. J., 807
Burch, G. E., 418
Burchell, H. B., 1068
Bussan, R., 271, 620

Callahan, J. A., 994
Campeti, F., 199
Canabal, E. J., 520
Clark, L. C., 813
Conn, H. L., Jr., 1043
Corbascio, A. N., 588
Cournand, A., 7, 507
Creech, O., Jr., 193
Cronvich, J. A., 418

Dailey, R. E., 625
Denolin, H., 215
Deterling, R. A., Jr., 30
Deutsch, L., 108
Dickes, R., 108
Dickson, J. F., 955
Dighiero, J., 520
Dillon, R. F., 827
Dimond, E. G., 124
Dorset, V. J., 169
Dotter, C. T., 1034
Doyle, A. E., 543, 974
Drumm, A. E., 169
Duncan, L. E., Jr., 90

Eddleman, E. E., Jr., 278
Edson, J. N., 108
Eichna, L. W., 1047
Eisenstein, B., 903
Elisberg, E. I., 827
Ellis, F. H., Jr., 807
Erickson, E. E., 193

Farr, L. E., 1043
Feder, W., 1005
Feil, H., 242
Feldman, H. S., 52
Ferraru, F., 247
Ferrer, M. I., 7, 507
Field, H., Jr., 625
Fitz, R. H., 897
Flamm, G. H., 108
Flynn, J. E., 921
Frank, E., 406

Gaertner, R. A., 82, 259
Gibson, J. F., 64
Gittinger, W. C., 620
Godden, J. O., 963
Goldberg, B., 338
Goldfarb, M., 271
Goldman, R., 636
Gordon, A. J., 69
Gramiak, R., 199
Gregg, D. E., 383
Griffith, G. C., 1180
Gunnar, R. M., 827

Hansen, A. T., 981
Harken, D. E., 955
Harrison, W. K., Jr., 577, 845, 1022
Harvey, R. M., 7, 507
Heath, D., 819
Helmsworth, J. A., 813
Henderson, C. B., 858
Hickam, J. B., 64
Hicks, W. M., Jr., 193
Hildes, J. A., 986
Himmelstein, A., 7, 69
Hines, E. A., Jr., 963
Horan, L., 418
Hull, H. B., 60
Humphreys, G. H., II, 30
Hupka, K., 426

Iseri, L. T., 1057
Ivy, A. C., 353

Joffe, S., 242
Jones, J. C., 1180

Kaplan, S., 813
Katz, L. N., 448
Kaufman, J. G., 52
Kay, C. F., 116, 291, 406
Keisman, R. A., 406
Keith, J. D., 230
Kirklin, J. W., 807
Klosk, E., 52
Knowles, J. L., 278
Kossmann, C. E., 838
Kowalski, H. J., 207
Kriz, J. R., 250
Kuschner, M., 7

LaDue, J. S., 161, 795
Lambert, A., 7
Landowne, M., 557, 567
Lasser, R. P., 69
Lequime, J., 215
Lerner, R., 176
Lev, M., 176

Mader, I. J., 1057
March, H. W., 869
Marchand, N., 838
Mathewson, F. A. L., 44
Morita, Y., 1057
Morris, G., 96
Morris, G. L., 432
Morris, L. E., 553
Moscovitz, H. L., 69
Moyer, J. H., 96

Neill, C. A., 604, 612
Nydick, I., 161, 795

Oblath, R. W., 1180
Oleh, D., 1
O'Neal, R. M., 370
Orgain, E. S., 361
Oser, B. M., 60

Palou, J., 239
Pedersen, E., 588
Pick, A., 903
Ponseti, I. V., 185
Porter, R. R., 247, 250
Purcellas, J., 520

Ramsey, G. H., 199
Rast, C. L., Jr., 361
Ravitch, M. M., 69
Read, J. L., 247, 250
Rhyne, M. B., 891
Richards, D. W., 7, 507
Richman, S., 247
Rodbard, S., 448, 883
Roth, G. M., 963
Rotta, A., 383
Rowe, R. D., 230
Ruskin, H. D., 338
Russek, H. I., 169
Russi, S., 250
Ryan, J. M., 60

Sapin, S. O., 69
Sayen, J., 321, 530
Seiden, G. E., 406
Schaberg, A., 986
Scherf, D., 271, 620
Schieve, J. F., 60
Schild, A., 1005
Scott, H. W., Jr., 813
Sheldon, W. F., 321, 530
Shock, N. W., 557, 567
Sieker, H. O., 64
Smirk, F. H., 543
Smith, W. W., 1047
Snyder, H. B., 193
Stahlman, M., 813
Starr, I., 588, 1005
Starzl, T. A., 82, 259
Stein, I. D., 833
Stollerman, G. H., 795
Stone, W., 883
Storm, O., 981
Surawicz, B., 397
Suzacq, C. V., 520
Suzman, M. M., 338
Swan, H. J. C., 994
Swell, L., 625

Talbot, S. A., 577, 845, 1022
Tang, J., 795
Taubenhaus, M., 903
Theilen, E. O., 383
Thomas, W. A., 370
Tobin, M., 108
Torin, S., 620
Trout, E. C., Jr., 625
Tucker, W. T., 278
Urbach, J. R., 397

Vakil, R. J., 220
Van Horne, R. G., 397
Vlad, P., 230

Wallyn, R. J., 827
Watson, J. S., 199
Weinberg, H. B., 1
Weinberg, S., 199
Weingarten, W., 169
Weiss, F., 52

Wenger, R., 426
Wessler, S., 553
Whitaker, W., 819
Wick, E., 426
Wilson, H. E., III, 955
Wolferth, C. C., 321, 530
Wróblewski, F., 161, 795
Wylie, R. H., 7

Zohman, B. L., 169

INDEX OF SUBJECTS

(Page numbers in italics refer to abstracts)

- Acetazoleamide**
and diuresis, 722
hemodynamic changes after, 938
single oral dose of, in renal disease, 1096
- Acetylcholine**, and ventricular fibrillation due to cooling, 620-623
- Acetyl digitoxin**, 117, 123
clinical evaluation of, 690
dosage, for initial and maintenance therapy, 297, 301
- Acetyl strophanthidin**, 118, 122
dosage, initial and maintenance, 297
potential lethal hazard, 298
response to, 793
- Acetylthanghinin**, and epinephrine
action of, in respiration of heart muscle slices, 310
- Acidosis**
ammonium chloride, 1098
diabetic, hyperpotassemia of, electrocardiography in, 678
hyperchloremic, in refractory edema due to congestive heart failure, 1087
respiratory, 314-315
renal response to, 1096
- Aconitine**, auricular fibrillation induced by, 621
- Acroscerosis**, with arteritis, 1066
- ACTH**. *See* Corticotropin
- Adams-Stokes syndrome**
complete atrioventricular dissociation studies in, 729
molar sodium lactate in treatment of, 678
sympathomimetic drugs for, cardiac rhythmicity and conduction after, 794
- Addison's disease**, basal metabolic rate in, 311
- Adenosine triphosphate**, and digitalis, 120
and electrical response of myocardium, 1100
irreversible cardiac depression of, in rat, by quinidine, 767
role of, between exergonic and endergonic functions, 635
- Adrenalectomy**
cardiac output after, in parabiotic and single rats, 141
- Adrenal gland**
carcinoma of, superficial phlebitis in, phenylbutazone for, 835
hypertension and cardiovascular-renal lesions during regeneration, in rat, 776
influence of, on water and electrolyte disturbances following nephrectomy, 310
- Adrenalin**
and sinus arrhythmia in atrioventricular block, 143
and T-wave, in anxiety state, 136
- Age (of mother)** and congenital cardiovascular malformations in infant, 649
- Age (of subject)**
and arteritis of aortic arch, 1067
in ballistocardiography and nitroglycerine, 588-601
three-plane, 869-881
and blood cholesterol levels in South African Bantu with low fat intake, 949
and cardiac output, 557-565, 567
and circulation performance, 567-575
and determinations of direct-indirect blood pressure, 972
and digitalis tolerance, 708
electrocardiogram in persons over seventy, 704
endocardial fibroelastosis in adult, 935
and heart performance, 567-575
and heart work, 569, 570, 1006-1020
and hypertensive blood pressure, 209-213, 569-572
in heart disease, after sixty-five, 747
and hexamethonium, 545
and isolated ventricular septal defects, 1085
and mitral commissurotomy, thromboembolic complications due to, 983
and myocardial infarction and body weight, 211-213
mortality due to, 207-213
non-fatal, after sixty, 765
and pulmonary artery resistance, 1086
response and tolerance of digitalis preparations, 708
in spatial vectorcardiography, 286-290
and simultaneous direct-indirect blood-pressure determinations after cold pressor tests, 972
and tetralogy of Fallot, atypical, 230-237
- Aglucone**, 116-117
- Albuminuria**, in congestive heart failure, 769
- Alcohol**, and cardiovascular diseases, 1097
- Aldosterone**
and ACTH, 697
control of secretion, 697
- Aldosteronism**, primary, 1093
- Alkaloid**, in Rauwolfia, as hypotensive agent, 220-225
- Alkamine**, synthetic steroid, and auricular fibrillation, 142
- American College of Chest Physicians**, Committee on Cardiovascular Research, award offer, 1114
- American Heart Association**
annual meeting, 154, 317, 659-664
program committee, 668
schedule, 663-664
appointment of assistant medical director, 1113-1114
audio-visual kit on the "Role of the P-A Film of the Chest in Cardiology," 319
Bio-Sciences Information Exchange, 1114
booklet—"The American Heart Association Serves the Physician," 318
Brown Lecture, 659
"Cardiac Clinics" series, 319
"Cardio-Views," 319
cardiac emergency kit, 953
"cardiac-in-agriculture" study, in Iowa, 1111
Cardiovascular Nursing Advisory Service, appointment of nursing consultant, 1114
Circulation Research, associate editor named, form expanded, use of Interlingua, 1113
Columbian Society of Cardiology, 953
Committee on Auscultatory Phenomena, 478
Conner Memorial Lecture, 477, 659
Council for High Blood Pressure Research, 476, 477
annual meeting, 664
book on 1954 proceedings, 478
Council on Community Service and Education, 317, 476, 477, 661, 666
second annual meeting, 317, 666
Council on Rheumatic Fever and Congenital Heart Disease, 317, 476, 661, 666
courses
cardiography, 952
electrocardiography, 155
fluid and electrolyte balance, 952-953
exhibits, 317, 477, 659
fellowship awards, 153
Fifth Inter-American Congress of Cardiology, 953
Gold Heart Awards, 1112
grant awards, 153
grants-in-aid, 154
list of continued, 156
list of new, 157-160
Halsey, R. H., obit., 952
Heart Fund campaign, 1113
"Heart Models and Silhouettes," 319
Heart Sound Tape Library, 478

American-Heart Association*(Cont'd)*

- joint session, Council on Community Service and Education and Council on Rheumatic Fever and Congenital Heart Disease, program, 666
- Jones Criteria (modified) for Guidance in Diagnosis of Rheumatic Fever, 951
- Jones Memorial Fund, 952
- meetings, 154-155, 320, 479-480, 1114
- Modern Concepts of Cardiovascular Disease, new editors, 318
- new officers, 1112
- New York Heart Association Fellowships, 479
- nursing consultant, 952
- Registry of Cardiovascular Pathology, 478-479
- Rehabilitation, 477
- rheumatic fever prevention control study launched, 1111
- Scientific Council
 - Committee on Auscultatory Phenomena, interim report of, 114-115
- Scientific Sessions, *see* annual meeting
- Second European Congress of Cardiology, 665
- Section on Basic Science, 476
- Section on Cardiovascular Surgery, 476
- Section on Circulation, 476
- Section on Clinical Cardiology, 476
- Seventh Annual Symposium on Heart Disease, 479
- Symposium on Arteriosclerosis, 154-155
- Third World Congress of Cardiology, 953
- Twenty-Eighth Scientific Sessions, 154, 659
 - abstracts of proceedings, 675-794
 - program of, 668-674
- Vermont Heart Association, 319
- American Society for the Study of Arteriosclerosis**
 - Committee on Nomenclature of Report on Tentative Classification of Arteriopathies, 1065-1067
 - ninth annual meeting
 - abstracts and proceedings of, 481-505
 - program of, 481-505, 506, 665
- Amine**, sympathomimetic, cardiac rhythmicity and conduction response to, 794
- Amino acid**
 - metabolism of, 637-646
 - in myocardial ischemia, 758
- Aminophylline**
 - and coronary insufficiency, 938
 - diuretic potency of, in congestive heart failure, 1086-1087
 - and electrolyte output, 722
 - suppositories, effectiveness of, 693-694

- Aminopropionitrile**, beta,
 - lesions produced by, 948
 - toxicity due to, and dissecting aneurysm, 191
- Ammonium chloride**
 - and thermol sweat, electrolyte composition, 1101
- Amyl nitrate**, in ballistocardiography, 590
- Amyloid**
 - primary, of heart vs. constrictive pericarditis, 827-832
- Amyloidosis**
 - associated with cardiac involvement vs. constrictive pericarditis, 827-832
 - systematized, with multiple myeloma, 935
- Anaphylaxis**, cardiac, 730
- Anastomosis**
 - aorticocoronary sinus and changes in coronary circulation, 133
 - intercoronary collateral, 133
 - splenorenal arterial, 725
- Anemia**, and use of digitalis, 293
- Anesthesia**
 - and cardiac output
 - by cuvette oximeter under cyclopropane - oxygen and ether, 1103
 - thiopental and pentobarbital sodium, of dog, 791
- Aneurysm**
 - aortic
 - abdominal, 702
 - arch, traumatic, 1072
 - due to beta-aminopropionitrile, 948
 - dissecting, 191, 1068-1078
 - during pregnancy, 950
 - resection for, 947
 - aortic sinus, 700
 - with coarctation of aorta, 1087
 - congenital, rupture of, 825
 - cerebral, and coarctation of aorta, 1082
 - intracranial arterial, 950
 - popliteal, operative management of, 742
 - and poststenotic dilatation, 1096
 - proximal and coarctation of aorta, 1082
 - traumatic, hazard of undue delay in surgical treatment of, 752
 - of Valsalva sinus, rupture of, 819-825
- Angiitis**,
 - necrotizing
 - ACTH for, 917
 - cardiovascular manifestations of, 911
- Angina**
 - and choline theophyllinate, 653
 - pectoris
 - ballistocardiogram in and nitroglycerine, 588-601
 - and choline-theophyllinate, 676
 - and coronary artery disease, 654, 790
 - de-epicardialization for, 955-961
 - in euthyroids, radioiodine for, 937
 - vs. intermediate coronary syndrome, pain in, 654
 - lipemia-induced, relief of, by intravenous heparin, 735
 - pentaerythritol tetranitrate in treatment of, 1099
 - Peritrate for, 938
 - and tobacco-smoking, 316
 - triethanolamine trinitrate for, long term study of, 720
- Angiocardiogram**
 - half-wave rectification, 1037
 - in mitral stenosis, before and after mitral valvotomy, 478
 - venous, in atypical tetralogy of Fallot, 232, 233
- Angiocardiography**
 - absence of right pulmonary artery discovered by, 651
 - cardiac catheterization, report from heart station in private hospital, 747
 - in cardioaortic fistula, 824, 825
 - in congenital malformations of heart, cyanotic types of, 710
 - in echinococcus disease of left ventricle, 525, 528
 - in occlusive auricular thrombi, 247-249
 - pressure of, vs. pressure in superior vena cava, right atrium and ventricle, 934
 - radiographic techniques for cardiovascular, 1034-1041
 - in Taussig-Bing syndrome, 306
 - toxic factors in, 751
- Angiotonin**, pressor responses to, in hypertension, 543-551, 974-979
- Anoxia**
 - irreversible, and hypothermia, 129
 - myocardial
 - and myocardial metabolism, 641
 - serum glutamic oxalacetic transaminase content in, 749
 - pulmonary edema, precipitation due to, 654
- Antibiotics**
 - for rheumatic fever, 941, 945
 - and rheumatic heart disease in children and youth, 944
 - postcardiotomy syndrome, 696
- Anticoagulant**
 - in cerebrovascular disorders, 775
 - in coronary artery disease, 750
 - insufficiency, 938
 - Dicumarol, 145, 553-555, 652, 656, 688, 720, 748, 784, 938, 981-985
 - heparin-like, 648
 - and similar polyanionic compounds, 774-775
 - 4-hydroxycoumarin, 771
 - in ischemic necrosis of myocardium, 1088
 - mitral commissurotomy during prophylaxis with, 981-982
 - in myocardial infarction, 145
 - current dispute of, 306

- long term therapy, 745
 long term therapy, survival rates after, 731-732
 in management of, 656, 720
 therapy
 control of, standardized clotting time in, 688, 748
 myocardial rupture and hemopericardium, associated with, 309
 Tromexan, 648, 656
 in venous thrombosis, in dogs, 553-555
- Antidiuretic hormone**
 and diuresis following oxygen therapy in congestive heart failure, 652
 secretion of, in response to noxious stimuli, 1105
- Anuria**, reversible, management of, 1095
- Aorta**
 absence of arch
 and patent ductus arteriosus, 1082
 unilateral clubbing of fingers due to, 649
 aneurysm of
 abdominal, 702
 arch, traumatic, 1072
 due to beta-aminopropionitrile, 948
 dissecting, 185-192, 1068-1078
 during pregnancy, 950
 resection for, 947
 anomalies of, electrical axis in fifty two patients with, 610
 arch of
 arteritis in young or middle aged women, 1067
 resection of, using vessel couples, 710
 right, in atypical tetralogy of Fallot, 231
 atherosclerotic,
 and aortic dissection, 1071
 in cholesterol-fed chicks, 948
 in hypercholesterolemia, 305
 blood pressure curves at, in estimation of left ventricular work, 1005-1020
 blood supply from, to lung as collateral circulation to heart, 681
 coarctation of
 with aortic sinus aneurysm, 1087
 as complication in Taussig-Bing syndrome, 305-306
 congenital anomalies, angiocardiology in detection of, 132
 and dissecting aneurysm, 191
 electrical axis in, 605-610
 medical management of, in infant, 702
 and patent ductus arteriosus, 605-610, 1082
 and pregnancy, 650
 rupture with dissection and hemopericardium after, 1071
 unusual manifestations of, 1080-1083
 commissure, nomenclature for, 730
- descending, depressor reaction due to intra-arterial injections in, 691
 dissection of, 1068-1078
 insufficiency of
 in aortic dissection, 1076, 1077
 one hundred cases of severe, 773
 and rheumatoid spondylitis, 770
 unusual clinical features, 719
 and ventricular septal defect, 1085
 intima of, protein, lipids and heparin of, in atherosclerotic areas, 683
 magnesium content in surgical renal hypertension, 138
 and mitral valve, disease of spatial vectorecardiogram and electrocardiogram in, 770
 overlapping of syphilitic and dissected areas of, 1071
 potassium content in surgical renal hypertension, 138
 pressure in, 940
 and hemodynamics of left side of heart, in mitral stenosis, 69-80
 sinuses of Valsalva from, in cardioaortic fistula, 822
 sodium content
 in surgical renal hypertension, 138
 stenosis of
 carotid artery pulse in, 777
 cinematography in, 942
 clinical features of, 149
 and commissurotomy, 785
 congenital, 695, 784
 and exercise, solute and water excretion after, 92
 thoracic, total occlusion of, in dogs, 1106
- Aortic arch syndrome**, 949
- Aortic valve**
 anaerobic cellular metabolism in anoxia from circulatory impairment, 725
 coronary blood flow and myocardial metabolism in, 762
 disease of, and aortic dissection, 1071
 electrocardiogram in calcareous alterations of, 309
 surgery on, left heart catheterization in selection of patients for, 680
- Aortic sinus**, aneurysm with coarctation of aorta, 1087
 congenital, rupture of, 825
- Aortography**, retrograde, application to cardiovascular diagnosis, 694
- Apnea**
 arterial oxygen saturation during, 933
- Apresoline**
 experimental disease, due to, 688
 for hypertension, 137, 139
 with mercaptans, in vitro studies in hypertension control, 137
- and Rauwiloid in hypertension, 137
 side effects of, in reserpine therapy for hypertension, 1094
- Aramine**
 as pressor agent, during spinal anesthesia, 144
 renal hemodynamic response to, in hemorrhagic shock, 98, 102, 104
- Arfonad**, and blood pressure, 654
- Arrest**
 cardiac
 electrocardiogram in, 1097
 electroencephalogram in, 1097
 hypothermic, influence of oxygen on, 937
 and molar sodium lactate in treatment of, 678
 circulatory, cerebral damage following, 691
- Arrhythmia**
 auricular
 in mitral stenosis, before and after valvulotomy, 76-77
 and synthetic steroid alkalines, 142
 cardiac
 electrocardiography in, simultaneous esophageal and standard, 733
 due to focal cooling, 1091
 induction and termination by external electric current, 757
 and hyperventilation, 271-276
 pseudo-ventricular, in Wolff-Parkinson-White syndrome, 754
 sinus
 in mitral commissurotomy, selection for, 14-16
 and posture changes, 143
 ventricular
 ectopic, K-strophanthoside vs. potassium ions in extracellular fluid, 718-719
 induced by digitalis preparations, 121
 See also Fibrillation; Flutter; Pulsus alternans; Tachycardia
- Arterenol**, recovery of patient in prolonged shock after, 1100
- Arteriole**
 geometric shapes of, biophysics of health, disease and death, 726-727
 pulmonary, in cardioaortic fistula, 825
 subendothelial fibrinoid necrosis of, and systemic lupus erythematosus, 904
- Arteriolo necrosis**, 1065
- Arterionecrosis**, 1065
- Arteriopathy**, tentative classification of, 1065-1067
- Arteriosclerosis**
 coronary ballistocardiogram and nitroglycerine, 588-601
 exercise, water excretion after, 92
 idiopathic, of pulmonary arterial tree with right ventricular hypertrophy, 687

Arteriosclerosis (Cont'd)

- hemodynamics of, in atrial flutter, 508
- occlusive disease of lower extremities, by-pass procedure in homograft replacement for, 693
- syndrome, hypertensive, and Serpasil, 136-137

Arteriosus

- patent ductus. *See* Ductus arteriosus, patent
- truncus, electrical axis in eighty-five patients with, 605, 610

Arteriothrombosis, essential, in situ, 1067**Arteriovenous oxygen difference**

- in atrial flutter, 508, 514, 516
- cerebral and hypotension, 146
- changes in, due to age of subject, 573
- after complete heart block, 85
- in congestive heart failure, 1051-1054
- following exercise, 1102
- in legs and arms, in Paget's disease, 216-218
- in mitral stenosis and mitral commissurotomy, 14-16
- and mitral valvulotomy, 70
- and total occlusion of thoracic aorta, 1106

Arteritis, cranial, 1066**Artery**

- carotid pulse in aortic stenosis, 777
- coronary. *See* Coronary artery disease of human and prosthetic grafts in, 760
- femoral
 - caval occlusion, 83-84
 - occlusion and segmental aortic-iliac, 948
 - oxygen content of, in Paget's disease, 217
- geometric shapes of and biophysics of health, disease and death, 726-727
- internal mammary implantation of, into left ventricle, 677
- involvement of, in Takayasu syndrome, 139-140
- obstruction of renal, malignant hypertension produced by, 1094
- peripheral percutaneous catheterization for blood sampling, 147
- pulmonary. *See* Pulmonary artery
- retinal, reactivity of, and renal function in degenerative vascular disease, 64-67
- segmental occlusion of, 947
- splenorenal anastomosis, 725
- subclavian, with long coarcted segment, 1082
- subendothelial fibrinoid necrosis of, in systemic lupus erythematosus, 904
- wall of, renal and desoxycorticosterone acetate induced hypertension, 138

Arthritis

- degenerative, due to beta-aminopropionitrile, 948
- rheumatoid vs. systemic lupus erythematosus, 908

Aschoff body

- in auricular appendage in mitral stenosis, 10-12, 23
- left, 1107
- and serum levels of glutamic oxalacetic transaminase, 803

Ascites

- due to carcinoid-cardiac syndrome, 1-6
- and pericarditis, 33, 37

Asthma, neurocirculatory, and use of digitalis, 293**Asthma**

- due to carcinoid-cardiac syndrome, 1-6
- cardiac with hypertension effect of carotid sinus stimulation on, 653

Atelectasis, and left bronchial obstruction, aortic dissection with false aneurysm in, 1070**Atherosclerosis**

- aortic
 - in cholesterol-fed chicks, following heparin complex injection, 948
 - dissection, 1071
 - in hypercholesterolemia, 305
 - intima, and heparin, 683
- coronary
 - estrogen therapy for, 764
 - heparin therapy for, 701
 - insufficiency due to, de-epicardialization for, 955-961
 - secondary effects of trauma or stress, 656
 - and vascular transplants, 690
- factors in pathogenesis of, 1065
- and hyperlipemia, after vegetable fat diet, 780
- and inositol phosphatide in rabbits, 1098
- and lesions in aortic intima, 683
- lipoprotein determinations in, with paper electrophoresis, 949

Atresia

- tricuspid
 - electrical axis in, 605-610
 - left axis deviation in, 612-618

Atrioventricular conduction

- in Adams-Stokes attacks and sympathomimetic drugs, 794
- alternation of time, 737
- and digitalis, 293

Atrium

- activation in, studies of normal and ectopic, 675
- fibrillation
 - and digitalis, 291-292, 787
 - edema associated with, 298
 - and latency of isolated, in cat, 1105
 - and mitral commissurotomy, 13, 22
 - in mitral stenosis, 13, 22
 - mitral stenosis with thromboembolism, after Dicumarol therapy, 984

- paroxysmal, and use of digitalis, 292
- phonocardiography in, 772
- pressure curves, 509-512
- quinidine for, 782
- quinidine for, and digitalis, 787
- and rheumatic auriculitis associated with mitral stenosis, 714
- ventricular rate control with digitalis in, 121

flutter

- cardiocirculatory performance in, 507-518
- converted to sinus rhythm, hemodynamics of, 514-516
- and digitalis, 291-292
- and digoxin, 513-516
- pulmonary edema associated with, 298

in hearts of fetus and newborn, 178-179, 182-183**infarction in anterior wall of**, including appendage, 307**left**

- left ventricle and aorta, simultaneous puncture in left side of heart, 71
- in mitral disease, 148
- pressures in mitral stenosis, 69-80
- and right relation between pressures of, 140

right

- apparatus for measuring in, 885
- infarction and mural thrombus in, 244
- and left ventricular shunt syndrome, 813-818
- nonfunction of, surgical treatment of, 651
- and ostia of vena cavae dynamics, 932
- septal defect of and blood flow, 1000-1002
- in children, 651
- closure of ostium primum and ostium secundum types of, 681-682
- electrocardiographic and hemodynamic correlation in, 786
- electrocardiographic pattern influence on, 1085
- hypervolemic murmurs in, 761
- pulmonary arterial pressure in, 1086
- surgical correction of, 736, 756
- and tachycardia, digitalis for, 291-292
- and pulmonary edema, 298

See also Auricle**Atrophy**, central lobular, following complete heart block in dogs, 268**Atropine**

- cardiovascular effects of, in Stokes - Adams syndrome, 729
- for thyrotoxic and euthyroid subjects, epinephrine response to, 145

- Auricle**
 in tetralogy of Fallot, 233
 contractility in isolated post-stimulation potentiation of, 1096
 and hyperventilation, 271-276
 excitability of, 940
 fibrillation
 abnormal ballistic waves in, 860
 and hyperventilation, 272-276
 in mitral stenosis, and valvulotomy, 76
 and synthetic steroid alkalines, 142
 left
 occlusive thrombi of, 247-249, 250-257
 pressure measurement of, 940
 sound
 in heart block, after exercise, 261-262
 and intracardiac pressure, 939
 weight of, effect of heart block on, 88
See also Atrium
- Auscultation** in congenital heart disease, 650
- Auscultatory method** for measurement of blood pressure and left ventricular work, 1018-1020
- Autonomic nervous system**, and nonshocking hemorrhage, 1093
- A wave**, double of jugular pulse, 711
- Axostat**, clinical applications of, 134
- Azide**, sodium, clinical use of intravenous, 771
- Ballistocardiogram**
 in arteriosclerotic heart disease, and nitroglycerine, 590-601
 cardiac work estimation from, 1012-1014
 cardiovascular force pattern, 108-113, 1023-1033
 in coronary heart disease, and nitroglycerine, 590-601
 direct-body, distortion from, 108-113
 head-foot, 1028
 inverse correction of distortion, 1023, 1028
 low frequency, 776-777
 and lung collapse therapy, 927
 in mitral insufficiency, 280-285
 and stenosis, 280-285, 858-867
 after smoking, 783
 vs. vectorballistocardiogram, 134
- Ballistocardiography**
 in auricular fibrillation, 860
 in cardiovascular diseases, 1089-1090
 current methods, 577-587, 845-857, 1022-1033
 design of low-frequency support, 856
 direct-body, 108-113, 848-857
 lateral plane, 746
 in mitral valve disease, 676-677, 700
- past, present, future, 927
- Starr's high frequency bed** vs. direct-body, 855
 in rheumatic heart disease, 858
 three-plane, 869-881
- Baroreceptor**, cephalic, stimulation of, due to intracranial compression, 888
- Basal metabolism**, and sodium chloride, 311
- Beat**
 and age of subject, 567
 ectopic, and potassium chloride, 678
 in embryonic chicken hearts and ouabain, 315
 in lead systems, vectorcardiograms of, 656
 premature ventricular, and use of digitalis, 292
- Benemid**, diuretic action of, in edematous subjects, 1099
- Benzodioxane**, and urine flow in pheochromocytoma, 689
- Beck II aortico-coronary sinus fistula**, visualization of, 308
- Beri-beri**
 and digitalis, 293-294
 heart disease and myocardial metabolism, 640-641
- Bicarbonate**, blood, level of following carbonic anhydrase inhibitor, 652
- Bishydroxycoumarin** therapy in myocardial infarction, 145
- Blakeslee Awards**, 951
- Block**
 adrenergic
 for protection against hypoxic edema, 1100
 renal hemodynamics, water and electrolyte excretion after, 1101
 arterioventricular
 blood flow during, 265
 chronic, 259-268
 incomplete in mitral commissurotomy, selection for, 14-16
 influence of P-R interval on first heart sound in, 1090
 auricular rates and rhythms, 142-143
 bundle branch
 bilateral incomplete, 686
 false right, and ventricular musculature in infant, 182
 and hyperventilation, 273
 left, in newborn heart, 180
 precordial patterns in, 608-610
 right, hemodynamic response to, 683
 right, and left axis deviation, 617-618
 right, and splitting of first and second heart sound, 146
 ganglionic
 in hypertension, 548, 977
 in pulmonary edema, 701
 histaminic, for protection against hypoxic edema, 1100
 mitral, and mitral commissurotomy, 7-29
- reticuloendothelial, 934
 ventricular rates and rhythms, 142-143
- Blood**
 arterialization of venous, in limbs involved in Paget's disease, 216-218
 arterial oxygen
 in atrial flutter, 508, 514, 516
 in mitral commissurotomy and stenosis, 14-16
 in pulmonary emphysema, 1096
 boron concentrations and electrocardiogram of myocardium, after neutron-capture therapy, 1043-1046
 coagulation defect, inheritance of, 1084
 intra-arterial transfusion, direct hydraulic effect of, 140
 level, in hypertension, 139
 and merpurate, 53
 method for sampling of, 147
 plasma
 radioiodine levels in, 936
 volume, in hypothermic dogs, 305
 proconvertin-prothrombin level and mitral commissurotomy during Dicumarol prophylaxis, 981-985
 supply, following de-epicardialization, 961
 and compression, 888
 return to heart, and change in pulsus alternans, 62
 viscosity of, and high fat feedings in hamsters, 949
- Blood flow**
 in atrial flutter, cardiocirculatory performance, 507-518
 cerebral
 and Dibenzyline, 144
 in heart failure associated with hypertension, 653
 and hexamethonium, 146
 influence of shock on, 931
 coronary
 and complete heart block, 265
 in hemorrhagic shock, 933
 and hexamethonium, 146
 in valvular heart disease, 762
 hand and finger, 1105
 in kidney during shock, 99-107
 liver
 and ethanol, 143
 rate of, vs. disappearance rate of colloidal radiogold, 932
 in mitral valve commissurotomy, 8, 17
 stenosis, 8, 17
 after valvulotomy, 77, 79
 muscle, and exercise before, after sympathectomy, 934
 in noncyanotic heart disease with heart failure, 130-131
 and oxygen tension of ischemic toes, 705-706
 peripheral
 arterial disease, thermoregulated cool box for measuring, 758
 and Paget's disease, 215-218

Blood flow (*Cont'd*)

- pulmonary
 - and anomalous pulmonary vein, 650
 - in atrial septal defect, 1000-1002
 - in neurogenic control of blood vessels, 452-453
 - in pulmonary stenosis, 999, 1000-1002
 - redistribution of, 649
 - in ventricular septal defect, 999, 1000-1002
- reversal of and patent ductus arteriosus, 651, 742
- splanchnic, in thoracic aorta, 1106
- and Tromexan, 648
- systemic
 - in pulmonary stenosis, 1000-1002
 - redistribution of, 649
- velocity of
 - and age of subject, 557-565, 571-575
 - during angiocardigraphic exposure, 1036-1037
 - electromagnetic measurement of, 1103
 - in upper extremity, 708
- See also* Circulation
- Blood pressure**
 - and age of subject, 209-213, 569-572
 - aortic and left ventricular work, 1005-1020
 - arterial
 - and ganglioplegic agents, 934
 - and shock, 931
 - in cardiovascular collapse after bulbar paralysis, 987
 - and carotic sinus, 653
 - cerebral, hemodynamic response to reduction of, 144
 - and Chlorpromazine, 313
 - in coronary shock, 676
 - after ganglionic block, 549-551
 - in glomerulonephritis and Arfonad, 654
 - in heart disease
 - arteriosclerotic and coronary, 590-601
 - detection of, 650
 - hypertensive, 747
 - in hypertension
 - and ambulation, 928-929
 - and Apresoline, 137
 - and Arfonad, 654
 - cerebral, 1094
 - and depressor agents, 543-551
 - and hexamethonium, 137, 138, 139, 545-551, 759
 - and pentolinium tartrate, 777
 - and position, 543-551, 928-929
 - and pressor agents, reactivity to, 974-979
 - See also* Hypertension
 - hypotensive action of Rauwolfia serpentina on, 221-225
 - and intracranial compression, 883-889
 - and intracranial compression in ischemia, 448

- miniature transducer for intracardiac and intravascular use, 685
- in mitral commissurotomy, 13-29
- in mitral stenosis, 13-29
- in myocardial infarction, 209-213
- in parabiotic exclusion of heart, 789
- peripheral estimations of cardiac work from, 1012-1018, 1020
- pulmonary artery
 - in atrial flutter converted to sinus rhythm, 514-518
 - in cardioaortic fistula, 825
 - in pulmonary edema, and Arfonad, 654
- renal hemodynamic, response to vasodepressor, 314
- vasopressor, 98-107, 314
- simultaneous direct - indirect measurements, after cold pressor tests, 966, 970-972
- and suppression of pituitary gonadotrophins, in fowl, 1093
- of thoracic aorta, 1106
- in vessels minute, of skin, 1105
- Blood vessel**
 - involvement of, in collagen diseases, 904, 918
 - replacement, 729
 - vasodilation of, 448
 - See also* Artery; Capillary; Vein
- Blood volume**
 - after ACTH, 1050, 1053
 - and age of patient, 562-565
 - in atrial flutter, 507-518
 - and carbon dioxide breathing after splenectomy, 1103
 - cerebral, regulation of, 448-449
 - after cortisone, 1051
 - after diuresis in heart failure, 722
 - in gastrectomized patients, 314
 - in mitral commissurotomy and stenosis, 14-16
 - pulmonary
 - and exercise after valvulotomy, 728
 - variations in healthy males, 787
 - vascular
 - in upper extremity, 708
 - venous return and intracranial compression, 886-889
- Body**
 - displacement correction, for direct-body ballistocardiogram, 108-113
 - exchangeable sodium content
 - in congestive heart failure, 703, 897-902
 - in rheumatic fever, after ACTH, 891-896
 - size, in age-wise decrease of cardiac output, 565
 - supports in ballistocardiography, 577-587, 845-857
 - and computation of true ballistic force pattern, 1022-1033
 - motion and frequency variations, 108

- velocity, in direct-body ballistocardiogram, 108-113
- water content, in edematous phase of congestive heart failure, 703
- weight of
 - in congestive failure therapy, 897-902
 - in edema of congestive failure, 630-633
 - in myocardial infarction in elderly subjects, 211-213
 - in rheumatic fever therapy, 891-896

Bone

- matrix failure, and ground substance disorder, 190-191
- of skeleton, in osteitis deformans, 216-218

Book reviews

- Burch, George E.: Digital Plethysmography, 1105
- Fishberg, A. M.: Hypertension and Nephritis, 151
- Gertler, Menard M., and White, Paul: A Multidisciplinary Study, 1105
- Johnston, Franklin D., and Lepeschkin, Eugene: Selected Papers of Dr. Frank N. Wilson, 1106
- Mendlowitz, Milton: The Digital Circulation, 1105-1106
- Murphy, James Peter: Cerebrovascular Disease, 151-152
- Wolstenholme, G. E. W., and Cameron, M. P., Editors, assisted by Etherington, J.: Ciba Foundation Symposium on Hypertension-Humoral and Neurogenic Factors, 151
- Yater, W. M.: Fundamentals of Internal Medicine
- Boron**, myocardium response to, reflected in electrocardiogram, 1043-1046
- Bouillad's disease**, 1106
 - biological test in, 941
 - and ACTH, cortisone, 928
- Bradycardia**
 - of complete heart block, cardiac function and right ventricular pressure, 263, 268
 - of Rauwiloid therapy in hypertension, 137
 - sinus, molar sodium lactate in treatment of, 678
- Brain**
 - aneurysm, and coarctation of aorta, 1082
 - arteritis, 1066
 - blood flow
 - in heart failure associated with hypertension, 653
 - influence of shock on, 931
 - blood vessels and intracranial compression in ischemia, 448
 - extract, mode of action, 727-728
 - hemodynamic response
 - to blood pressure reduction, 144
 - to heart failure with hypertension, 653

- lipid inhibitor vs. soy bean inositol phosphatide inhibitor, 144
 regulation of blood supply, 448
 syndrome, in bacterial endocarditis, 1086
- Breast**
 pigeon, deformity and dissecting aneurysm, 190
- Breathing**
 periodic, in cardiac failure, 717
- Bronchspirometry** and ventilation, in absence of right pulmonary artery, 651
- Bronchus** and *Rauwolfia serpentina*, 222
- Buerger's disease** superficial phlebitis with, phenylbutazone for, 836
- Bundle branch block**
 bilateral incomplete, new electrocardiographic entity, 686
- left
 in heart of newborn, 180
 and hyperventilation, 273
 precordial patterns in, 608-610
- right
 electrocardiography in, 683
 false, and ventricular musculature in infant, 182
 hemodynamic response to, 508, 683
 and left axis deviation, 617-618
 in selection for mitral commissurotomy, 14-16
 and splitting of first and second heart sound, 146
- Bundle of His**
 in surgical technic for heart block, in dogs, 83, 259-260
- Burger triangle**, and the Einthoven law, 134
- Butazolidin**
 for superficial thrombophlebitis in extremities, 833-836
See also Phenylbutazone
- Calcium**
 in cerebrospinal fluid, 1104
 and digitalis, muscle contraction due to, 122
 ethylenediamine tetraacetate and plasma cholesterol, 759
 oxalate, as anticoagulant, 648
- Carbohydrate**
 and myocardial metabolism, 637-646
 in hemorrhagic shock, 933
- Carbon dioxide** production and age of subject, 575
- Carcinoid**
 cardiac syndrome, 1-6
 malignant, 776
- Carcinoma**
 and thrombophlebitis in extremities, phenylbutazone for, 835
 as unsuspected malignancy clue, 791
- Cardiac arrest**
 electrocardiogram of, 1097
 electroencephalogram in, 1097
 hypothermic, and oxygen, 937
 molar sodium lactate for, 678
 hypothermic influence of oxygen on, 937
 and molar sodium lactate in treatment of, 678
- Cardiac block**
 complete, experimental, 82-89, 259-268
- Cardiac index**
 and age of subject, 560-561, 563
- Cardiac output**
 after ACTH, 1049
 and adrenalectomy, 141
 and age of subject, 557-565, 572
 in atrial flutter, 508-518
 converted to sinus rhythm, 514-515
 after Digoxin, 516
 and blood viscosity, 1106
 in congestive heart failure, 1051-1055
 and constrictive pericarditis, 140
 and coronary shock, 676
 after cortisone, 1051
 by cuvette oximeter under cyclopropane - oxygen and ether anesthesia, 1103
 and ganglionic block, 549-551
 and ganglioplegic agents, 934
 and heart block, 83-85, 261, 264, 268
 in hypertension, 777
 in infectious hepatitis, 1098
 in mitral commissurotomy, 8-9, 13-29
 in mitral stenosis, 8-9, 13-20, 70, 78-79
 and muscular work in anesthetized dogs, 314
 in osteitis deformans, 215-218
 and pentobarbital sodium anesthesia, 791
 and pentolinium tartrate in hypertension, 777
 in pulmonary stenosis, 649
 response to exercise, 1102
 at rest and during exercise
 Hamilton's dye - injection method for determination of, 932
 in Paget's disease, 216-218
 and valvulotomy, 728
 and vascular regulation, 448
- Cardiac reserve**, of left heart, and age of subject, 567, 575
- Cardioangiography**, mitral regurgitation by, 777
- Cardiopercardiomyopexy**, in rheumatic heart disease, 713
- Cardiopneumonoxy**, pulmonary collateral circulation to coronary arteries by, 681
- Cardiopulmonary system**, function of, artificial maintenance of, 775
- Cardiorespiratory system**, dysfunction in, and mitral stenosis, 7
- Cardiospectrogram**, 711
- Cardiovascular disease**
 and abnormal tryptophan metabolism associated with malignant carcinoma, 776
 hormonal factors, 1093
 hypertensive, 56-57
 and pericarditis, 30-31
 photofluorographic detection of, 947
- Cardiovascular system**
 in collagen diseases, 903-919
 congenital malformations in, 6,053 infants, 649
 forces of
 from body motion, 1022-1029
 direct - body ballistocardiogram, 108-113
 and hypertonic solutions in gastrectomized patients, 314
 response to tobacco and whisky, 1097
- Carditis**, rheumatic
 and rejection for mitral commissurotomy, 8
 serum glutamic oxalacetic transaminase in, 795-800
- Carotid sinus**
 and blood pressure, 653
 constriction of, and hypertension, 786
 massage in region of for left ventricular failure, 653
 and pulmonary edema, in hypertension, 653
 sensitivity, and digitalis, 293
 syndrome and irradiation, 938
- Cat**
 heart muscle, temperature and glucose utilization for contractile force in, 1105
 isolated atrium latency of, and fibrillation, 1105
- Catheterization**, cardiac
 in absence of right pulmonary artery, 651
 in anomalous pulmonary veins, 649-650, 782
 in atrial flutter, 507-518
 in cardioaortic fistula, 821, 824, 825
 in coronary sinus, 637-646, 657
 fluoroscopic image amplifier for, 793
 in intracardiac knotting of catheter, 141
 left and right sides, simultaneously, 713
 in mitral valvulotomy, 70-71
 in pulmonary stenosis, 994, 998-999
 pressure during, 764-765
 pulse pressure patterns with, 743
 in syndrome of left ventricular-right atrial shunt, 813-818
 technic for selection, in cardiac surgery, 680, 780
 transthoracic left atrial puncture for, 705
 two year report on heart station in private hospital, 747
- Cation exchange resin**, electrolyte changes due to, 625-629
- Cell**
 blood volume and hypothermia, 139
 heart muscle, damage of, transaminase as index of, 735
 in recovery from congestive heart failure, 1061
 vascular colloidal fat suspensions by, 738

- Celiotomy**, for unexplained jaundice, circulatory complications following, 921-926
- Central nervous system**
and alkaloids, 221
injury to, and hypernatremia, 931
and vasoconstriction, 448,
- Cerebrovascular disease**
use of anticoagulant drugs in, 775
syndrome of intermittent insufficiency of basilar arterial system, 1101
- Cerebrum**
aneurysm and coarctation of aorta, 1082
arteritis of, 1066
blood flow
in heart failure associated with hypertension, 653
influence of shock on, 931
extract, mode of action, 727-728
hemodynamic response to blood pressure reduction, 144
lipid inhibitor vs. soy bean inositol phosphatide inhibitor, 144
See also Brain
- Chest**
in mitral insufficiency, kinesiogram in, 280
and pericarditis, 31-41
malignancy in wall of, 31-32
- Cheyne-Stokes respiration**, oximeter study in, 953
- Chicken**
butacaine-heparin complex with high cholesterol diet, 948
hearts, oxygen consumption in embryonic, 315
- Childhood**
atrial septal defects in, 651
electrical left axis deviation in, 609
heart disease in, analysis of 1,286 in cardiac clinic for school children, 1102
patent ductus arteriosus in surgical closure of, 766
rheumatic heart disease in measurement of QTc in prognosis of, 783-784
and rheumatic fever in, 944
- Chloride**
excretion
and head-down position, 1102
and nonshocking hemorrhage, 1093
renal, in congestive heart failure, 652
and N-isoquinolinium, 1099
- Chlorpromazine**
for hypertension, 313, 700
with *Rauwolfia serpentina*, 700
with reserpine, central autonomic vasomotor after, 717
- Cholecystectomy**, in patients with coronary heart disease, 731
- Chlortetracycline**, for bacterial endocarditis, 305
- Cholel, in congestive heart failure and anginal syndrome, 653**
- Cholesterol**
blood levels, and low fat intake in South African Bantu, 949
content of, pericardial fluid, 193-197
dietary and butacaine-heparin complex in chicks, 948
and heparin in hypercholesterolemia, 305
plasma
isotopic studies of, 948
two metal-binding agents, 759
serum
and calcific aortic stenosis, 150
level, and brain extract vs. beta sitosterol, 727-728
- Choline**, theophyllin compound, in angina pectoris, 676
- Chymotrypsin**, and arterial thrombus, 145
- Cigarette. See Smoking**
- Cineangiogram** of right heart during filling stage, 201
- Cineangiography** in coronary sinus reflux opacification, 199-205
in patent ductus arteriosus, 686
- Circulation**
by-pass, of right heart, 651
and chymotrypsin in thrombosed vessels, 145
coronary
and anastomosis, 133
after arterialization of coronary sinus, 677
in heart disease, and nitroglycerin, 599-601
after implantation of mammary artery into left ventricle, 677
coronary vs. peripheral, and Tromexan, 648
cross, and arteriovenous shunts, cardiac lesions, 685
dynamics of, 706
early disappearance of T-1824 from, in rabbits, 1104
and endocrine, 136
of forearm with thiocyanate, 772
hematocrit of large vessel and forearm capillary, 741
hemodynamic effects of mitral commissurotomy, 7-28
intramyocardial new physiologic world of, 540
in mitral stenosis, 699
of liver, in burn patients, 746
of materials to heart, and intracranial compression, 888
in myocardial infarction of elderly subjects, 211-213
neurogenic control of, 448-453
performance, and age of subject, 560-565, 567-575
peripheral
and digital rheoplethysmography, 675
in Paget's disease, 218
in positive-negative pressure respiration, 146-147
- postnatal adaptation of, by infants, newborn and pre-matures, 930
and pregnancy, 147
in premature, newborns, and infants, 930
- pulmonary**
cor pulmonale due to changes in, 652
direct delivery of vena caval blood into, 651
and hexamethonium, 136
transepillary migration of thiocyanate ion and heavy water in, 653
- renal**
of constrictive pericarditis, 140
and renal response to non-shocking hemorrhage, 1093
and respiration after bilateral glossopharyngeal nerve section, 692
single indicator dilution techniques, 741
systemic and oxygen starvation in noncyanotic heart disease with heart failure, 131
time and age of subject, 212-213, 561-565
- Cirrhosis**, of liver, blood flow rate, 932
- Clinical Conference**
Ebstein's disease, case for diagnosis, 439-447
Noncyanotic heart disease with heart failure in a seven year-old boy, 124-131
Patient with circulatory complications following exploratory celiotomy for unexplained jaundice, 921-926
- Clinical Progress**
Aortic dissection (dissecting hematoma; dissecting aneurysm of aorta, 1068-1078
Cardiovascular manifestations of collagen diseases, 903-919
Clinical use of digitalis preparations, 116-123, 291-301
Myocardial metabolism, 635-646
Neurogenic control of the blood vessels, 448-454
Unusual manifestations of coarctation of aorta, 1080-1083
- Clotting time**
in hypothermia, 305
serum vs. plasma, 648
standardized, in Dicumarol therapy, 688, 748
in thrombosis, after Dicumarol and/or heparin, 554-555
- Clubbing** of fingers due to absence of aortic arch, 649
- Coagulation**
and fat ingestion, 648
intravascular, in thrombosis, 553-555
- Coarctation**
of aorta
and patent ductus arteriosus, 605-610, 1082
rupture with dissection and hemopericardium after, 1071

- unusual manifestations of, 1080-1083
- Cold**
immersion stimulus response of intra-arterial pressure to, 963-973
pressor test of Hines and Brown, 963-964, 967
- Colitis**, ulcerative, potassium deficiency in, 935
- Collagen disease**, cardiovascular manifestations of, 903-919
- Colon**, in dietary sodium restriction, 625, 629
- Coma**, diabetic, and hypernatremia, 931
- Commissure**, of aorta and of pulmonary artery, suggested nomenclature for, 730
- Commissurotomy**
mitral
in class IV cardias, 694
and Dicumarol, 981-985
fifty patients with, five or more years after, 726
methods of evaluation, 7-29
post-syndrome, 944
selection for, 942
transaortic and transventricular, in rheumatic aortic stenosis, 785
- Connective tissue**, structure involvement, in collagen diseases, 903-918
- Convertin**
and activity of lipid inhibitor of brain vs. soy bean inositol phosphatide inhibitor, 144
in serum-induced thrombosis and Dicumarol and/or heparin, 554-555
- Cor kyphoscolioticum**, pathogenesis of, 141
- Coronarography**, postmortem, in aged persons, 1108
- Coronary artery**
disease of
and angina pectoris, 654, 790
beta sitosterol and cholesterol in, 709
causes of, 1089
cholecystectomy in, 731
c-reactive protein determination as diagnostic aid in, 735
heart muscle and electrocardiogram in, 530-541
lipoproteins and diet in, five year study of, 743
neurogenic factors in and results of selective vagotomy, in dogs, 770
in normotensives, Master two-step test in, 721
and occlusive auricular thrombi, 256
in pregnancy, 1086
prevalence of in South Africa, 730-731
prolonged anticoagulant therapy in management of, 750
proposed nomenclature and classification for electrocardiographic and pathologic findings, 537-541
- Rauwolfia serpentina** in, methods for evaluation of therapy, 739-740
surgery for, 307-308, 677
and Workmen's Compensation present status of, 760
insufficiency of, 133
de-epicardialization for, 955-961
and Dicumarol, 938
and Ergonovine stress test-studies, 780
and intermediate coronary artery syndrome, 656
transaminase activity following, 736
vasodilator drugs for, 169-175, 938
- left**
recanalized thrombus in anterior descending ramus of, 244
transaminase level following placement of ligature about, 163
ventricular flow changes in, due to complete heart block, 86
- occlusion of**
changes in RS-T segment and QRS complex following, 135
failure of cardiopericardiopexy to protect experimental piglets against, 717
surgery for, 677
pulmonary collateral circulation to, by cardiopneumopexy, 681
spasm of, electrocardiography in, 656
- Cor pulmonale**
cardiopulmonary hemodynamics during recovery from, 1058
and Diamox, 652
in infancy simulating congenital heart disease, 652
renal hemodynamics during recovery from, 1058
respiratory center in, sensitivity of, 783
- Corticosteroid**
and collagen diseases, 916-918
and necrotizing angitis, 917
- Corticotropin**
and aldosterone secretion, 697
and blood
oxygen extraction, 1049
volume, 1050
and cardiac output, 1049
and collagen diseases, cardiovascular responses, 916-918
fluid retention due to, hemodynamics of, 1047-1055
and hemorrhagic shock, 1091
and necrotizing angitis, 917
for nephrotic syndrome, adrenal response to, 148
water and sodium diuresis during therapy with, 1092
plasma content of 17-hydroxycorticosteroid response to, 145
in postcardiotomy syndrome, 696
- for rheumatic fever, 148, 891-896, 941
and vascular pressures, 1050, 1053
- Cortisone**
combined with epinephrine, and fat mobilization, in rat, 144
in congestive heart failure
hemodynamic effects of, 696
fluid retention due to hemodynamics of, 1047-1055
and hemorrhagic shock, 1091
in postcardiotomy syndrome, 696
for rheumatic fever, 941
in rheumatic heart disease
hemodynamic effects of, 696
serum glutamic oxalacetic transaminase concentration after therapy with, 799-805
vascular responses to, 918
in potassium-deficient rats, 311
- Costophrenic septal line**
in venous hypertension, 807-811
definition and pathogenesis of, 807-808
- Cranium**
pressor receptor and compression in dog, 883-889
- Creatine**
heart muscle, 781
clearance of, and renin, 147
excretion of, in head-down position, 1102
- Cyanosis**
changing mottled, due to carcinoid-cardiac syndrome, 1-6
development of, 230-231
and pericarditis, 33, 36
and occlusive thrombosis, 256
- Cymarin**
and epinephrine, in respiration of heart muscle slices, 310
- De-Epicardialization** for angina pectoris, 955-961
- Depoheparin** for development of aortic atherosclerosis hypercholesterolemia, 305
- Dermatomyositis**
cardiovascular manifestations and ACTH, cortisone, 918
skeletal muscle and skin involvement in, 914-915
- Desacetylanthranin** and epinephrine in respiration of heart muscle slices, 310
- Desoxycorticosterone**
and/or cortisone
in hypertension, 313
- Desoxycorticosterone acetate**
hypertension induced in rats with, 138
and Pitressin, 139
and saline increased sensitivity to, 1092
and salivary electrolyte concentrations following, 1094
- Dextran** and prolonged bleeding times, 1084
- Diabetes** and myocardial metabolism, 643-645

Diamox

- in congestive heart failure due to cor pulmonale, 652
- diuresis, 722
- hemodynamic changes after, 938
- and electrolyte output, 721
- and hyperchloremic acidosis, 1087
- in pulmonary emphysema, arterial blood gases following, 1096
- single oral dose of, in renal disease, 1096

Diarrhea

- due to carcinoid-cardiac syndrome, 1-6
- due to Mepurate, 55, 58

Dibenzylamine

- blockade with and renal hemodynamic response to vasopressor agents, 104
- blood pressure reduction with cerebral hemodynamic response to, 144
- and vascular responses in dog's hind leg, 727

Dibenzylethylenediamine dipenicillin G

- in prevention of rheumatic fever, 148

Dibozane

- and hypertension, 929

Dicumarol

- blockade with in venous thrombosis, 553-555
- and coronary insufficiency, 938
- and myocardial infarction, 145
- management of, 656
- massive intermittent dose method, 720
- prophylaxis with, mitral commissurotomy during, 981-985
- standardized clotting time in control of therapy with, 688, 748
- and Tromexan effect of, on recanalization of thrombosed veins, 784

Diet

- caloric intake in myocardial infarction, 211-213
- dissecting aneurysm produced by, 185-192
- high cholesterol and butacaine-heparin complex in chicks, 948
- high fat and blood viscosity, 949
- high vegetable fat, and early atherosclerosis with hyperlipemia, 780
- in hypertension, 311
- low-sodium vs. hydralazine for hypertension, 311
- pteroylglutamic acid deficient and congenital cardiovascular abnormalities, 750
- sodium restricted and sodium retention, cation-exchange resin in, 625, 629

Digilanid

- definition of, 117

Digital vasoconstrictive reflexes

- induced, 789-790

Digitalis

- in atrial fibrillation treated with quinidine, 787

and atrioventricular conduction

- in congestive heart failure, 1051, 1054

dosage

- 294-295, 297

and edema, in hypoproteinemic states

- 293

and elderly cardinals

- 708

and electrolytes

- excretion pattern, 691

output

- 721

potency of U.S.P. and International Standard

- 117

and pulsus alternans

- 62

Digitalis lanata

- 117

acetyl-digitoxin derived from

- 690

Digitalis purpurea

- 117

Digitoxin

- 117, 118-119, 122

and uncoupling of oxidative phosphorylation

- 716

U.S.P.

- 296, 297

Digoxin

- 118, 123

in atrial flutter hemodynamics

- 513, 515-516

in latent cardiac failure circulatory dynamics

- 773-774

U.S.P.

- 298, 301

dosage

- 297

See also Digitalis**Dihydrazine**

- for hypertension, 139

Dilatation

- poststenotic and aneurysm development, 1096

Dinitrophenol

- 2,4, and electrical response of myocardium, 1100

Dioxyline phosphate

- See Paveril

Diuresis

- and acetazoleamide hemodynamic changes after, 938

in congestive heart failure

- blood volume after, 722

and Diamox

- 652-653

and Tonephin and/or oxygen therapy

- 652

and digitalis therapy

- 120

electrolyte outputs in

- 721

and mercaptomerin sodium

- 143-144

mercurial

- 52-59

in congestive heart failure

- 897-902

for low-salt syndrome

- 766

weight loss during, in vivo isotope technique for

- 897

Dog

- heart block in, complete, 82-

- 89, 259-268

hypertension in

- 786

hypothermia in

- 305

intracranial compression in pressor mechanisms induced by

- 883-889

renal clearance before and after administration of Mepurate

- 53

thrombus in

- arterial, 145

- venous, and Dicumarol, 553-555

- valvular lesions in, and sodium content and excretion in, 1095

Ductus arteriosus

- patent, 605

- and cardioaortic fistula, 825

cinangiocardiology in

- 686

and coarctation of aorta

- 1082

absent transverse arch in

- 1082

electrical axis in

- 605-610

congenital, causative factors of

- 1085

electrocardiographic patterns in

- 1085

and opacification of coronary sinus

- 203

pulmonary artery pressure in

- 1086

and pulmonary hypertension

- 778-779

with reversal of flow

- 651, 742

surgical closure of, in infants and children

- 766

Dumping syndrome

- and gastrectomy, 314

Dupuytren's contracture

- etiological factors of, 308-309

Dyspnea

- and congestive heart failure, 724

and pericarditis

- 33, 36, 37

Dystrophia myotonica heart in

- 704

Ebstein's disease

- 439-447, 778

electrocardiographic alterations, in

- 1085

Edema

- due to carcinoid-cardiac syndrome, 1-6

congestive cardiac

- 1057-1063

extracellular fluid in

- 631

and sodium retention vs. venous pressure

- 630-633

fluids

- digitoxin content of, 119

endotracheal tube in removal of

- 654

in hypoproteinemic states and digitalis

- 293

hypoxemic, histaminic and adrenergic blockade for protection against

- 1100

and Mepurate

- 55

and pericarditis

- 33, 36, 37

pulmonary

- and Arfonad, 654

following complete heart block, in dogs

- 268

and digitalis

- 298

and endotracheal tube

- 654

epinephrine and neurogenic factors in

- 1100

in fatal bulbar poliomyelitis

- 987

and ganglionic blocking agents

- 701

with hypertension, carotid sinus stimulation on

- 653

refractory due to congestive heart failure

- 1087

Effusion**pericardial**

- cardiac pulse pressure tracings in, 142

pericardiectomy for constrictive pericarditis due to

- 193-197

pressure pulse tracings in heart in

- 142

- and QRS complex, 50
 pleural, and pericarditis, 33, 36
- Einthoven triangle**
 and Burger triangle, 134
 test and modification of, 752
- Eisenmenger's complex**, electrical axis in 72 patients with, 605-606, 610
- Electrocardiogram**
 in atrial fibrillation, 509-512
 and atrial flutter, 509-512
 in atrial septal defects, 736, 756
 body's electric inhomogeneities in, 685
 in congenital heart disease, left axis deviation, 604-610
 in congestive failure voltage reduction in limb, and precordial leads, 1090
 of coronary arteriospasm, 656
 in Ebstein's disease, 1085
 endocavitary of coronary sinus dysrhythmias, 657
 hemodynamic interpretation of U wave of, 134
 in hyperkalemia of diabetic acidosis, 678
 and hypokalemia, 781
 in hypoxia, tobacco smoking and nicotine, 315
 left auricular and combined hypertrophy, 231
 left axis deviation in tricuspid atresia and single ventricle, 612-618
 of left ventricle in echinococcus disease of, 521, 522
 of myocardium following neutron-capture therapy with sodium borate, 1043-1046
 in necrotizing angitis, 911
 nomenclature and morphology of, 134-135
 nonpathologic factors in, 710
 in persons over seventy years of age, 704
 potassium ion and duration of systole, 657
 precordial leads and intracardiac pressure values in right heart strain, 656
 in progressive systemic sclerosis, 913
 in syndrome of left ventricular-right atrial shunt, 816
 in systemic lupus erythematosus, 905, 906, 907
 in valvular disease after mitral commissurotomy, 770
 in valvular pulmonic stenosis and intact interventricular septum, 699
 vs. vectorecardiogram
 in myocardial infarction, 711
 in right heart strain, 657
 in ventricular fibrillation protigmine and acetylcholine for, 621-623
 of ventricular hypertrophy in atypical tetralogy of Fallot, 231, 235
 in ventricular septal defect, 997, 1090
- Electrocardiography**
 in atrial fibrillation during quinidine administration, 782
 in bundle branch block, 686
 in calcification of pericardium, 44-51
 cardiac catheterization disorders in course of, 309
 cardiac cycle of left heart, in mitral stenosis, 73-80
 in cardiac surgery, 657
 in cardioaortic fistula, 823-825
 in complete heart block in dogs, 261
 in congenital heart disease, 1085
 in coronary artery spasm, 656
 in detection of organic heart disease, 734
 in echinococcus disease of left ventricle, 526-528
 elimination of distortion due to somatic tremor, 309-310
 esophageal and standard leads simultaneous, for study of cardiac arrhythmias, 733
 general networks for central terminals in, 838-844
 in heart block surgically induced, 83, 84
 in heart rate and membrane potentials, 133-134
 and hemodynamics correlation of in atrial septal defect, 786
 hypo- and hyperkalemia patterns, 738
 image tetrahedron by reciprocal stimulation of tridimensional esophageal electrode, 723
 in intra-arterial pressure response to cold immersion stimulus, 965-967, 970
 mass technique for congenital heart disease in mental defectives, 650
 in myocardial infarction combined anterior and posterior, 1089
 effect of eating, 656
 secondary, 307
 suspected, 756
 for unsuspected acute, 677
 in obstructive coronary disease, 530-541
 in patent ductus arteriosus, 1085
 in pericarditis, 33
 in right bundle branch block, 683
 in serum glutamic oxalacetic transaminase studies in dog, 165-166
 in serum sickness, 916
 of sinus coronarius, 310
 in tachycardia ventricular vs. supraventricular, 1090-1091
 in tourniquet shock, 141
 in Valsalva maneuver, in heart failure, 686
 and mitral stenosis, 134
- Electroencephalogram**
 in cardiac arrest, 1097
- Electrokymogram**
 atrial, in mitral disease, 148
- Electrolyte**
 balance in edemic congestive heart failure, 630-633
 composition of "200 mg. sodium diet" and Kempner rice and fruit diet, 654
 disturbances
 and digitalis poisoning, 301
 following nephrectomy, 310
 excretion
 after adrenergic blockade, 1101
 after digitalis, 691
 after diuretics, 721
 in hypertension, 690, 928-929
 after nephrectomy, 310
 in shock, and vasopressor agents, 101
 metabolism in myocardial ischemia, 758
 salivary concentrations in, 1094
 in serum and urine
 and hydrocortisone, 928
 in myocardial infarction, 208
 in shock, 141
 and sodium restriction, 625-629
- Electrophoresis**
 for heparin extraction from human tissues, 305
 lipoprotein determinations with, in atherosclerosis and lipemia, 949
 paper, for identification of individual steroids in mixtures, 1104
- Embolism, 1067**
 pulmonary
 in chronic congestive heart failure, 785
 experimental miliary, 737
 urinary coproporphyrins following, 1096-1097
 rheumatic auriculitis associated with mitral stenosis, 714
- Emphysema, pulmonary**
 arterial blood gases in, and carbonic anhydrase inhibition of, 1096
 decreasing respiratory minute volume in, 314
- Endocarditis**
 bacterial, 709
 enterococcal, antibiotics for, 305
 toxic-organic psychosis in, 1086
 staphylococcal, erythromycin in fatal, 1086
 streptococcal, antibiotics for, 305
 subacute bacterial
 with atrial septal defect, 132
 bicuspid valves and coarctation of aorta, 1082
 and cardioaortic fistula, 823, 825
 and mitral commissurotomy, 8, 13
 with mitral valvulitis, 132
 prevention of, 761
 in thrombus covering myocardial infarction with necropsy, 242-245

- Endocardium**, involvement of, in systemic lupus erythematosus, 904-908
- Endotoxin**, meningococcal cardiac lesions in rabbits induced with, 693
- Enzyme**, serum concentrations of, in rheumatic fever, 754
- Epicardium**, removal of dog's heart, 955
- Epinephrine**
and fat mobilization, 144
in neurogenic control of blood vessels, 450-451
in pulmonary edema, 1100
and norepinephrine
plasma concentration in hypertension, 746
vascular responses, after Dibenzylamine, 727
norepinephrine and thyroid hormones, hemodynamic and metabolic interrelationships in activity of, 684
and plasma content of 17-hydroxycorticosteroids, 145
and rabbits' hearts perfused with Locke's solution, 1100
and respiration of heart muscle slices, 310
response, to atropine for thyrotoxic and euthyroid subjects, 145
- Erythromycin**
for endocarditis
enterococcal, 305
and fatal staphylococcal, 1086
- Ethanol**, and hepatic blood flow, 143
- Ethyl alcohol** and coronary insufficiency, 938
- Ethylenediamine tetraacetate calcium**, and plasma cholesterol, 759
- Exercise**
cardiocirculatory performance during, in atrial flutter, 518
cardiorespiratory response to, 1102
circulatory hemodynamics after, in Paget's disease, 215-218
and complete heart block, 263-264
oxygen removal rate after, in mitral stenosis, 774
pulmonary pressure response in mitral disease, 8-9, 17
after sympathectomy, 934
tolerance
in heart block, complete, 264
in mitral stenosis, 946
ventricular pressure response in mitral commissurotomy, 19
water excretion after, in congestive failure, 90-94
- Extremity**
blood flow in
plethysmography for, 1105
unilateral clubbing due to absence of aortic arch, 649
lower
homograft replacement in treatment of arteriosclerotic occlusive disease of, 693
- occlusive arterial vascular disorders of, and exercise, 934
phlebodynamics of, 744
and osteitis deformans, localization of, 215-218
thrombophlebitis in, phenylbutazone for, 833-836
upper, multiphasic nature of blood flow, velocity and vascular volume in, 708
vascular responses in, to epinephrine, norepinephrine before and after Dibenzylamine, 727
vasosensory innervation of, 1105
circulation study in forearm with thiocyanate, 772
clearance of radioiodine from, in patients with myocardial infarction, 677
congenital arteriovenous fistula in, 689
- Fallot's tetralogy**, 789
atypical noncyanotic with increased lung vascularity, 230-237
cardiac catheterization in diagnosis of, 132
coronary sinus reflux in, cineangiocardiology in, 202, 203
electrical axis in 845 patients with, 605-606, 609
electrocardiography in, 1085
unusual findings in, 723
- Fat**
dietary, and blood viscosity, 949
low intake of South African Bantu and blood cholesterol levels, 949
mobilization of, and epinephrine, 144
neutral, and lactescence of serum, 1097
- Fatty acid**
and myocardial metabolism, 635-646
in myocardial ischemia, 758
- Fetus**, heart of, and Kent's alternate theory of conduction, 177-183
- Fever**, in heart disease, 242
- Fiber**, Mahaim's paraspecific in fetal hearts, 183
- Fibrillation**
atrial
and mitral commissurotomy, 13-16, 22
mitral stenosis with thromboembolism, after Dicumerol therapy, 984
phonocardiography in, 772
pressure curves, 509-512
quinidine for, 782
quinidine and digitalis for, 787
and rheumatic auriculitis associated with mitral stenosis, 714
ventricular rate control with digitalis in, 121
auricular
- abnormal ballistic waves in, 860
and hyperventilation, 272-276
in mitral stenosis, and valvulotomy, 76
and synthetic steroid alkalines, 142
- ventricular**
due to focal cooling, influence of acetylcholine and prostigmine on, 620-623
and myocardial metabolism, 642
prevention of, in hypothermic dog, 768
prostigmine and acetylcholine for, 621-623
due to surgery for occlusive coronary artery, 677
treatment of, using capacitor discharge, 315
- Fibroelastosis**, endocardial, in adult, 935
- Fistula**
arteriovenous and digitalis, 293
cardioaortic, 819-829
congenital arteriovenous in extremities, 689
femoral arteriovenous arterial pressure changes in renal hypertension following, 1092
- Flowmeter**, electromagnetic, for measurement of blood streaming velocity, 1103
- Fluid**
accumulation of, in injured area due to tourniquet shock, 933
cerebrospinal, calcium and magnesium in, 1104
edema
digitoxin content of, 119
endotracheal tube in removal of, 654
extracellular
and ectopic ventricular arrhythmia, 718-719
and edema in congestive heart failure, 631
pericardial, cholesterol content of, 193-197
pulsating, resonance of, 742
retention of, induced with ACTH and cortisone, hemodynamic changes due to, 1047-1056
in vena cava, rapid injection in, and right atrial pressure, 934
- Fluoroscopy**
in echinococcus disease of heart, 525, 528
in pericarditis, heart action of, 37
for prevention of intravascular knotting of catheter, 141
study of heart action in pericarditis, 37
- Flutter**
atrial
cardiocirculatory performance in, 507-518
and digitalis, 292
and digoxin, 513-516
- Ganglion**
blockade of
blood pressure after, 548

- central blood volume and circulation time after, 934
- blockers and reserpine combination therapy in hypertension, 698
- blocking agent
in glomerulonephritis complicated by hypertension and pulmonary edema, 654
in pulmonary edema, 701
- Glioblastoma multiforme**, neutron-capture therapy for, electrocardiogram following, 1043-1046
- Gastrectomy**, and dumping syndrome, 314
- Gastrointestinal tract**, upper, sodium in, and dietary sodium restriction, 625, 629
- Gitalin**, 123
definition, 117
N. N. R., initial and maintenance therapy dosage, 297, 301
- Gitoxin**, chemical assay of, 117
- Glomerular filtration rate**
during congestive failure and after recovery from, 1058, 1061
during head-up tilted position and during ambulation, 928-929
ratio between tubular maximum for glucose and, 1104
and vasopressor agents during shock, 98-104
- Glomerulonephritis**, with hypertension and pulmonary edema, Arfonad in treatment of, 654
- Glucose**
and contractile force of isolated perfused hearts, 1104
myocardial extraction of, response to rapid temperature changes, 750
metabolism
myocardial, 637-646
in myocardial ischemia, 758
in saline, superficial phlebitis due to, phenylbutazone for, 835
tubular maximum for and glomerular filtration rate, ratio between, 1104
- Glycerol trinitrate**. *See* nitroglycerin
- Glycoside**
and cardioactivity of digitalis preparations, 116, 119
excretion of, fecal and urinary, 119
- Gonadotrophin**
pituitary, suppression of, and blood pressure in fowl, 1093
- Gradient**, spatial ventricular, 684
- Graft**, human and prosthetic, in arterial disease, 760
- Hamilton's dye-injection method** for cardiac output at rest and during exercise, 932
- Hamster**, dietary fat and blood viscosity in, 949
- Heart**
acyanotic, pulmonary arterial pressure in, 1086
adipose tissue around, vectorcardiograms of beats, 656
and alkaloids, activities of ajmaline vs. serpentine, 221
antiaccelerator and antiarrhythmic action of synthetic steroid alkalamines on, 142
- arrest
electrocardiograms in, 1097
electroencephalogram in, 1097
hypothermic, and oxygen, 937
molar sodium lactate for, 678
- arrhythmia
electrocardiography in, 733
due to focal cooling, 1091
induction and termination by external electric current, 757
- arteriosclerotic
and nitroglycerine, ballistocardiograms following, 588-601
rheumatic, syphilitic and Merpurate, 56-57
- cardiocirculatory performance in atrial flutter, 507-518
- circulation of materials to, and intracranial compression, 888
- clinic for school children, 1,286
analyses, 1102
- congenital
absence of spleen with, 649
cyanotic, 124-131
cor pulmonale simulating, in infancy, 652
electrocardiography in, 604-610, 1085
medical rehabilitation program of New York City Health Department, 132
in mental defectives, survey methods assessed for, 650
syndrome, Taussig-Bing, 306
transposition complexes in rats, 707
2,752 cases of, electrocardiogram in studies of, 604-610
- congenital and mongolism, study of parentage in, 775
- contractile force of, utilization of glucose for, species differences in, 1104
and cooling, 939
focal, arrhythmias due to, 1091
depression of, by quinidine, treatment for, 1099
dilution curves in study of, 706
- echinococcal, 520-528
- electric center of, anatomic location of, 773
- energy production disturbances, 640-645
- enlargement
in atrial flutter, 508
and pericarditis, 33, 41
in selection for mitral commissurotomy, 14-16
due to tetralogy of Fallot, atypical, 231, 233, 235
with and/or without failure, and digitalis, 294
- epinephrine in, adrenergic action against, by synthetic steroid alkalamines, 142
- exclusion, parabiotic, 789
- hemodynamics in congestive failure, and in fluid retention induced with ACTH and cortisone, 1047-1055
and hypertensive blood pressure in subjects over sixty-five, 747
- hypodynamic, 27
- of infant and postnatal adaptation of circulation, 930
- inflammatory reaction in, serologic effects of, 682
- initiation and conduction of impulse in, in human, current conception and theory of Kent, 176
- involvement of
in collagen diseases, 904, 918
in rheumatic fever, 795-805
- left
congenital anomalies, 813-818
electrocardiography in, 73-80
hemodynamics of, and cardiac cycle, 69-80
and lung pressure-volume relationships in, 141-142
- malformations of
cardiovascular, in infant, and age of maternal mother, 649
causative factors, 1085
cyanotic types, 710
with induced congenital transposition complexes, in rats, 707
- metabolism
in congestive failure, and acetyl strophanthidin, 755
and myocardial ischemia, 758
and Merpurate, 54
motion, in cardiovascular radiography, 1034-1041
muscle cell damage in, serum glutamic oxalacetic transaminase as index of, 735
- muscle
contractility, 121, 1105
creatine content of biopsied human and rabbit, 781
damage to, in obstructive coronary disease, 530-541
and digitalis, 121, 291
inflammatory and degenerative diseases of, 291
vs. liver, energy producing in, 635
and myocardial metabolism, 636-646
and obesity, 1089
potassium flux in, effluographic determination of, 788
slices, respiration of and cardiac steroids and/or epinephrine, 310
of newborn, and postnatal adaptation of circulation, 930
non-rhythmic, in rabbit and transmission of impulse from ventricle to atrium, 140
pain, mechanisms and relief, 764

Heart (Cont'd)

- parabiotic exclusion of, blood pressure during, harmonic analysis of, 789
- performance, central, and age of subject, 567-575
- in pericarditis, 30-31
- fluoroscopy for, 37
- of prematures, during and after postnatal adaptation of circulation, 930
- pressure pulse tracings in constrictive pericarditis and pericardial effusion, 142
- pretreatment of dog's with prostigmine or acetylcholine, and ventricular fibrillation, 620-623
- primary amyloid of, vs. constrictive pericarditis, similarities between, 827-832
- and prophylactic digitalization, 294
- reversible functional abnormalities in and serum enzyme levels, 166
- right
 - carcinoid syndrome, 1-6
 - cineangiogram during stage of filling, 201
 - circulatory by-pass of, 651
 - valvular lesions, 1-6
- size
 - and age of subject, 561, 573, 575
 - and cardioaortic fistula, 823
- strain
 - electrocardiogram and vectorcardiogram in, 657
 - intracardiac pressure values in, 656
- team approach to comprehensive care of, 720
- valvular lesions of, sodium content and excretion in, in dogs, 1087, 1095
- weight of and heart block, 87-88, 265-266
- work of
 - and age of subject, 575, 1006-1019
 - classifications for, 724
 - in congestive failure, and acetyl strophanthidin, 755
 - methods for estimating, 779, 1007-1020
- Heart block**
 - and digitalis, 293
 - electrocardiography in complete, 83-84, 261, 792
 - forty-two year study of, 739
 - hemodynamic studies in, 739
 - as method for heart failure, experimental, in dogs, 82-89, 259-269
 - pulmonary edema following, 268
 - and weight of heart, 87-88, 265-266
- See also* Block
- Heart failure**
 - due to chronic complete heart block, in dogs, 259-268
 - congestive
 - and acetyl strophanthidin, 755
 - with active carditis, trans-

- aminase serum concentration in, 797, 800
- albuminuria in, 769
- antidiuretic effects following oxygen therapy in, 652
- blood volume in and after diuresis, 722
- cardiac metabolism in, 645-646
- and cardiorespiratory performance in atrial flutter, 507-518
- and choline theophyllinate, 653
- and coarboxylase, 306
- due to cor pulmonale, 1057-1063
- and cortisone, 696
- and Diamox, 652
- and digitalis, 62, 291
- and digoxin, 726
- and dyspnea, 724
- edema in, 630-633
- extracellular fluid due to edema in, 631
- hemodynamic changes due to, 703, 1047-1056
- hepatojugular reflux test in, 133
- with hypertension, cerebral hemodynamics of, 653
- in idiopathic cardiac hypertrophy, 935
- influence of on pulsus alternans, 60-62
- liver in, 1087
- and Mepurate, 55
- mitral surgery for, 22
- peripheral venoconstriction in, 790
- pulmonary embolism in, 785
- and pulsus alternans, 60-62
- radioiodine for incapacitated euthyroid patients with, 937
- refractory edema due to, 1087
- and thromboembolism following mitral stenosis, after Dicumarol therapy, 984
- transcapillary migration of heavy water and thiocyanate ion in pulmonary circulation in, 653
- treatment of low salt syndrome in, using mercurial diuretics, 766
- with cyanosis, and peripheral vascular collapse, in symptomatology of occlusive thrombosis, 256
- and diuretic potency of xanthines, bioassay method in, 1086-1087
- and hypothermia, 128
- latent, circulatory dynamics in after digoxin, 773-774
- left atrial pressure after tilting in, 755
- with noncyanotic heart disease, 124-131
- periodic breathing in, 717
- potassium and digitalis relationships of, 121-122
- right ventricular maintenance of responses to, with me-

- chanical left ventricle, in dog, 765-766
- thiamine concentration in, 306
- treatment for and body weight changes, 897-902
- Valsalva maneuver in, abnormal phase II response to, 686
- voltage reduction in limb, and precordial leads, 1090
- excretion in after exercise, 90-94
- Heart rate**
 - and age of subject, 558, 561-563, 570
 - in atrial flutter, 513-518
 - carotid sinus stimulation on, 653
 - and intracranial compression, in dog, 886-888
 - in mitral commissurotomy and stenosis, 14-16, 22
 - and membrane potentials, electrocardiography in, 133-134
 - and myocardial infarction, 209-213
 - and nitroglycerine, 596
 - and skin exposure to radiant heat, 1103
 - slow, molar sodium lactate in treatment of, 678
- Heart sound**
 - first, influence of P-R interval on, 1090
 - first and opening snap, phonocardiography in analyses of time variation factors, 772
 - first and second, splitting of, 146
 - graphic recording of, and vibrations by new electronic pickup, 716
 - in heart block, after exercise, 261-262
- Hemangiomatosis**, hereditary, 306
- Hematoma**, dissecting, 1068-1078
- Hemiplegia**, and coarctation of aorta, 1082
- Hemodynamics**
 - in arterial hypertension and 1-hydrazinophthalazine, 929
 - in atrial flutter converted to sinus rhythm, 514-518
 - cerebral
 - in heart failure with hypertension, 653
 - and Phenoxybenzamine for blood pressure reduction, 144
 - circulatory, in Paget's disease, after exercise, 215-218
 - in congestive heart failure, 703
 - 1047-1056
 - and cortisone, 696
 - in denervated kidney, 142
 - of left side of heart in mitral stenosis, 69-80
 - in mitral commissurotomy, 9-12, 20-22
 - renal
 - in constrictive pericarditis, 140
 - of head-up tilted position and ambulation, 928-929
 - in hypertension due to norepinephrine, 105-106

- after neurohypophysectomy, 933
 after vasopressor agents in shock, 96-107
 in rheumatic disease and cortisone, 696
 of tricuspid stenosis, 792
See also Circulation
- Hemopericardium**
 and cholesterol pericarditis, 193, 197
 and myocardial rupture associated with anticoagulant therapy, 369
- Hemopoiesis**, and Merpurate, in dogs, 53-54
- Hemoptysis**, and absence of main branch of pulmonary artery, congenital, 651
- Hemorrhage**
 in mitral commissurotomy after Dicumarol therapy, 982-983
 shock due to
 and myocardial metabolism, 641
 renal hemodynamic response to vasopressor agents in, 98-107
 subarachnoid, factors in spontaneous, 950
 from vasa vasorum, dissecting hematomas begin with, 1071
- Hemosiderosis**, pulmonary, in mitral stenosis, 944
- Heparin**
 as anticoagulant, 774-775
 of aortic intima, in atherosclerotic areas, 683
 blocking effect of, on evolution of serum-induced venous thrombosis, in dogs, 553-555
 -butacaine complex and aortic atherosclerosis, 948
 and coronary atherosclerosis, intermittent therapy for, 701
 and coronary insufficiency, 938
 in experimental hypercholesterolemia, in rabbits, 305
 extraction of, from human tissues, 305
 and myocardial infarction, 1084
 for relief of angina pectoris, lipemia-induced, 735
 and similar polyanionic compounds as anticoagulants, 774-775
- Hepatitis**
 cholangiolitic and drug sensitization, 922-923
- Heredity**
 deficiency of labile factor and coagulation defect, 1084
 in hypertension in industrial workers, 1094
- Hernia**, due to ground substance disorder, 191
- Hexamethonium**
 in hypertension, 139, 759
 with angiotonin, 545-547, 550
 with hydralazine, 138
 with 1-hydrazinophthalazine, 137
 malignant, 138
 and Pentapyrrolidinium, 313
 with reserpine, 1094
 hypotensive action of, 145
 with Rauwolfia serpentina, 224
 influence of on reactivity to pressor agents, in hypertension, 974-979
 and pulmonary circulation, 136
 in mitral stenosis, 1108
- Hines and Brown**, cold pressor test, 963-964, 967
- H-I segment** and nitroglycerine, 591
- Histamine**
 for protection against hypoxemic edema, 1100
 skin injury due to vascular responses in, 1099
- Homograft**, replacement, in treatment of arteriosclerotic occlusive disease of lower extremities, 693
- Hormone**
 adrenal medullary action of on sodium, potassium and water excretion in man, 1092
 factors in renal and cardiovascular disease, 1093
 posterior pituitary antidiuretic substance, increase in urine due to excretion of, 652
 secretion test and iodine fixation test, simultaneous for assessment of thyroid function, 136
 therapy, for acute rheumatic fever, 928
- H wave**
 dorsally directed, I deflection and J and K waves after, 875
 RI and RJ waves following in sinus rhythm, 867
- Hydralazine**
 experimental disease of, 688
 and hexamethonium with Rauwolfia, for hypertension, 137
 in management of hypertensive disease, 138
 in elderly patients, 138-139
 vs. low-sodium diet, 311
 with reserpine, 1094
 with Rauwolfia serpentina, hypotensive action of, 224
- Hydrazine**
 for hypertension, 139
- Hydrazinophthalazine**, 1
 hemodynamic effects of in arterial hypertension, 929
 and hexamethonium, control of hypertension with, 137
- Hydrochloride**, phenylephrine, in paroxysmal supraventricular tachycardia, 1101
- Hydrocortisone**, electrolyte response to, in serum and urine, 928
- 17-Hydroxycorticosteroids**
 circulating concentrations of, in rheumatic fever, 943
 plasma content of, effect of epinephrine on, 145
- Hyperadrenalism**, clinical signs of, due to ACTH therapy in rheumatic fever, 892
- Hypercatecholemia**
 and cardiac damage in renal insufficiency, 762
 and heparin on aortic atherosclerosis, 305
- Hyperlipemia** and high vegetable fat diet, 780
- Hypernatremia**, clinical syndromes associated with, 931
- Hyperpotassemia**
 of diabetic acidosis, electrocardiogram in, 678
 and hypopotassemia, electrocardiographic patterns in, 738
- Hypersensitivity**, arteritis due to, 1066
- Hypertension**
 in adrenalectomized rats after steroid administration, 313
 with anomalous renal artery in infancy, 928
 and aortic dissection, 1070, 1073, 1076
 arterial
 hemodynamic effects of 1-hydrazinophthalazine in, 929
 management of, 312
 and Takayasu syndrome, 140
 and arteriosclerotic cerebral vascular disease, and Serpasil, 136-137
 and arteriosclerotic heart disease, hemodynamics of, in atrial flutter, 508
 and bilateral pulmonary edema, 452-453
 blood pressure in
 and ambulation, 928-929
 and angiotonin, 545-547, 550
 and Apresoline, 137
 and Arfonad, 654
 cerebral, 1094
 and drugs for, 759
 and depressor agents, 543-551
 and hexamethonium, 137, 138, 139, 545-551, 759
 and Hyphelex, 139
 and pentolinium tartrate, 690, 777
 and position, 543-551, 928-929
 and pressor agents, reactivity to, 974-979
 and renin and antirenin, in dogs, 786
 and cardiovascular collapse in poliomyelitis, 987-991
 and renal function, during therapy, 728
 renal lesions, in rats, 776
 and carotid-sinus mechanisms, 451
 cerebral
 and renal denervation in rabbit, 139
 and coronary occlusion, 1088
 and Dibozone, 929
 diet in, 311
 digital blood vessels in physiological work of, 748
 Dihydrazine for, 139

Hypertension (Cont'd)

- dissecting aneurysm due to, 190
- in elderly patients, treatment of, 138-139
- epinephrine and norepinephrine in plasma concentration of, 746
- ganglion blockers and reserpine combination therapy with, 698
- in hamster, experimental, 136
- heart failure associated with cerebral hemodynamics in, and response to treatment, 653
- heredity in, in industrial workers, 1094
- humoral transmission of effects of vagal stimulation, new technic to study, 312
- hydralazine vs. low sodium diet in treatment of, 311
- malignant
 - due to obstruction of renal artery, 1094
 - trace metal urine concentrations in, after treatment, 758-759
 - treated by sympathectomy, ten year follow-up of, 749
- and mecamylamine, 707, 751
- neurogenic, 543-551
- due to norepinephrine, and renal hemodynamic response to infusion, 105-106
- parenteral reserpine in management of, 694-695
- and prehypertensives, consistency of response to psychologic stress in, 719
- primary, 675
- production of by constriction of carotid sinus area in dogs, 786
- proteinuria and retinal vascular reactivity, relationship between, 65, 67
- pulmonary, 931
 - in atrial flutter of congestive failure, 515-518
 - carotid sinus stimulation in, 653
 - with congestive failure, mitral surgery for, 13, 17, 22
 - with increased pulmonary resistance, 316
 - in mitral stenosis, 1107, 1108
 - with patent ductus arteriosus, 766, 778-779
- and pyelonephritis, masquerading of as toxemia of pregnancy, 704
- radiological signs in, 150
- and Rauwolfia serpentina, 137, 221-225
 - with hydralazine, 700
 - with rescinamine, 732
- renal
 - baroreceptor function in experimental, 743
 - following femoral arteriovenous fistula, 1092
 - dynamics of acute failure of left ventricle during, 757
 - experimental, 732

- renoprival and electrolyte disturbances following nephrectomy, 310
- right atrial cardiac catheterization and postmortem findings, 829-832
- right heart, cardiovascular anomalies associated with, 203
- right ventricular and pulmonary arterial, 817-818
- salt and water balance in experimental rats, 709-710
- in sinus rhythm, 515-518
- supradiaphragmatic, splanchnic section for, 311-312
- treatment for, review, 138
- venous, in congestive heart failure, 133
- venous, costophrenic septal lines in, 807-811
- Hyperthermia**, in fatal cardiovascular collapse of acute poliomyelitis, 988, 991
- Hyperthyroidism** and pericarditis, 31
- Hypertrophy**
 - cardiac
 - idiopathic, 748, 935
 - myocardial, after heart block, 88, 266-269
 - pulmonary, 944
 - ventricular
 - in atypical tetralogy of Fallot, 231, 233
 - and cardioaortic fistula, 823, 825
 - electrocardiogram for signs of, 135
 - and occlusive auricular thrombi, 252
 - with idiopathic arteriosclerosis of pulmonary arterial tree, 687
- Hyperventilation**, effect of on various arrhythmias, 271-276
- Hypotremia**
 - and urinary hypertonic salt excretion, effect of exercise on, in congestive heart failure, 94
- Hypoferrremia** due to coronary occlusion and traumatic injuries, 133
- Hypopotassemia**, electrocardiogram and, 781
- Hypoproteinemia**
 - edema in
 - and digitalis, 293
 - and pericarditis, 31
- Hypoprothrombinemia**, Dicumarol-induced, and convertin deficiency, 555
- Hypotensin**, 221
- Hypotension**
 - blocking agents, 452
 - and dietary deprivation of potassium, 311
 - hemorrhagic and antibiotics, 931-932
 - hexamethonium-induced physiologic alterations associated with, 145
 - in myocardial infarction, metabolic responses and mor-

talidity in elderly subjects, 207-213

Hypothermia

- blood response to, bleeding and clotting time, in dogs, 305
- cardiovascular effects of, 680
- and heart failure, 128
- mechanisms for, 449
- and myocardial metabolism, 642-643
- rapid rewarming following acute myocardial failure during, in dog, 679
- vascular responses to, 450

Hypoxia

- pulmonary vascular effects of, in dog, 140
- and respiration of newborn infants, 1104
- tobacco smoking and nicotine effects on, 315

H wave, response to nitroglycerine, 591-594, 598

IJ wave, in three plane ballistocardiography, 869-881

Infant

- cardiac murmur in first year of life, 1102
- coarctation of aorta in
 - electrical axis in, 605, 609
 - medical management of, 702
- congenital absence of spleen, with congenital heart disease, 649
- congenital malformations of cardiovascular system, study of 6,053 during first year of life, 649
- heart, during and after postnatal adaptation of circulation, 930
- hypertension in, with anomalous renal artery, 928
- noncyanotic and atypical tetralogy of Fallot, 230-237
- surgical closure of patent ductus arteriosus associated with pulmonary hypertension, 766

Infarction

- atrial
 - in anterior wall, 307
 - and mural thrombus, 244
- of left ventricle
 - high thoracic leads for diagnosis of, 751
- muscle, and coronary insufficiency vs. myocardial ischemia, 532-533
- and adrenal insufficiency in, 745
- anterior and posterior, combined, 1089
- myocardial
 - anticoagulant therapy in, 306, 656, 731-732, 745
 - and caloric intake, 211-213, 656
 - bishydroxycoumarin therapy in, 145
 - and body weight, 211-213
 - cardiac rupture following, 1088
 - and cerebral vascular thrombosis, 701

- in chair treatment, 656
and clearance of radioiodine from extremities, 677
and complication, 697
after coronary occlusion in dogs, 656
and dicumarol, massive intermittent dose method, 720
and digitalis, 293
in elderly subjects, 207-213
electrocardiograms after eating, 656
electrocardiogram vs. vectorcardiogram in, 711
electrocardiography in, 307, 756, 1089
endocarditis in mural thrombus after, 242-245
epidemiologic aspects of, 738
in guinea pig, hamster, mouse and rat, 306
and intramuscular aqueous heparin, 1084
with mural thrombus, 246, 256
non-fatal, in subjects over sixty, 765
and occlusive auricular thrombi, 256
painless, in psychotic patients, 740
with peripheral embolization, 246
Phenylindanedione for, 762
prodromal syndrome of, 753
with pulmonary embolization, 246
rupture following, 1088
and serum glutamic oxalacetic transaminase, 161-167, 729
and silent electrocardiograms, 711
and spatial vectorcardiogram, 711
stress in, 727
sudden changes in weather and occurrence of, 656
and survival, 307, 731-732
transaminase test in detection of, 729
unsuspected cases of acute, 677
urinary coproporphyrins following, 1096-1097
pulmonary
and pericarditis, serum transaminase levels in experimental, 712
ventricular
in anterior and lateral, 307
of base, 751
- Infection**
and infarction concomitantly, in heart, 242
and pericarditis, 30, 41
- Infectious hepatitis**, cardiovascular studies during acute, 1098
- Inositol**, activity of vs. lipid inhibitor in brain, 144
- Insufficiency**
adrenal
in myocardial infarction and shock, 745
aortic
in aortic dissection, 1076, 1077
one hundred cases of severe, 773
and rheumatoid spondylitis, 770
unusual clinical features, 719
coronary artery, 133
de-epicardialization for, 955-961
and Dicumarol, 938
and ethyl alcohol, 938
and Ergonovine stress test-studies, 780
and intermediate coronary artery syndrome, 656
transaminase activity following, 736
vasodilator drugs for, 169-175, 938
- kidney**
and cardiac damage in, 762
and hypercatecholemia, 762
with respiratory infections, 1096
of mitral valve
ballistocardiogram in, 278-285
clinical and graphic, 718
dynamics of, 149
hypodynamics of, 27
kinetocardiograms in, 278-285
and total circumferential suture of mitral ring, 712
physical, Thorn tests in analysis of, 146
pulmonary and radioiodine, 718
syndrome of intermittent, of basilar arterial system, 1101
tricuspid
atrial fibrillation and atrial flutter, 518
in mitral commissurotomy selection, 14-16
- Insulin**
vs. adrenaline, increase of total leukocyte count due to, 146
- Intermediate coronary syndrome**, description of, 654
- Intestine**
musculature of, stimulating action of Rauwolfia serpentina, 222
small, carcinoid of, with metastases of liver, 1-6
- Iodoacetate**
and electrical activities of isolated perfused frog heart, 733
and electrical response of myocardium, 1100
- Ion**, transport, in cardiac muscle, 939
- Irradiation**, and carotid-sinus syndrome, 938
- Ischemia**
cause of, 448
crisis induced by Piperoxan, myocardial and hypertensive, 313
localized, differentiation of from diffuse or physiologic, 534-541
and myocardial metabolism, 641, 758
and transaminase activity, 165, 166-167
sensory nerve, as part of shoulder-hand syndrome, 737
ulcer due to, and lesions specific to hypertensive disease, 239-241
- Isoajmaline** or neoajmaline, 221
- Iso-rauhimbine**, 221
- I wave**
and J wave, and RI and RJ waves of ballistocardiogram, 866
and nitroglycerine, 591-594, 598
- Jaundice** unexplained, exploratory celiotomy for, circulatory complications following, 921-926
- J wave** response to nitroglycerine, 591-594, 598
- Kempner diet**, in hypertension, 311, 654
- Kent's theory**, of conduction in heart, 177-183
- Ketone**
and myocardial metabolism, 637-646
in myocardial ischemia, 758
- Khellin**, and coronary insufficiency, 938
- Kidney**
anomalous arterial supply to, and hypertension, in infancy, 928
blood flow during shock, after vasopressor agents, 99-107
in congestive heart failure and cocarboxylase, 306
conservation of sodium in dying elderly subjects with myocardial infarction, 210-211, 213
damage due to Lysol, renal hemodynamic response to norepinephrine during shock, 104
denervation, in rabbit, effects of on cerebral hypertension, 139
disease of, hormonal factors in experimental, 1093
function
and circulation in mitral stenosis, 698
and degenerative vascular disease, 64-67
hemodynamics
in head-up tilted position and ambulation, in hypertension, 928-929
and hematocrit increases, 142
during shock, 98-107
hypertension due to disease of, and blood pressure after ganglionic blockade, 548
insufficiency
and cardiac damage in, 762
and hypercatecholemia, 762
with respiratory infections, 1096
involvement in systemic lupus erythematosus, 904
response, to nonshocking hemorrhage, 1093

- Kidney** (*Cont'd*)
 shunt, in rats, 140
 Turkel needle biopsies, review of one hundred successful, 756-757
 thiamine concentration in, in congestive heart failure, 306
 tubule, enzymatic inhibitions in, due to Mercurophylline and Mercuhydrin, 930-931
 vasoconstriction in and Dibenzyline injection and norepinephrine, 104
- Kinetocardiogram**, in mitral insufficiency and stenosis, 280-285
- Kinetocardiography**
 in mitral valve disease, 700
- K-Strophanthoside**, 118
- K wave**
 ballistocardiogram, 875, 877
 and nitroglycerine, 593, 594
- Kyphoscoliosis**
 cardiac catheterization in, and pulmonary function studies, 141
 and dissecting aneurysm, 190, 191
- Kymography**, in echinococcus disease of heart, 525
- Lactate**
 cardiac rhythmicity and molar sodium, 678
 metabolism
 cardiac, in myocardial ischemia, 758
 myocardial, 637-646
- Lasker Awards**, 951
- Lathyrism** due to faulty diet, 185, 191
- Lanatoside A**, 117
- Lanatoside C**, 117-118, 119, 122
 U.S.P., 298, 301
 initial and maintenance therapy dosage, 297
- Lead**
 in arrhythmias and hyperventilation, 272-275
 esophageal and standard, simultaneous in cardiac arrhythmia, 733
 left precordial in atypical tetralogy of Fallot, 231
 Lewis, in atrial fibrillation, 510
 precordial
 and intracardiac pressure valves in right heart strain, 656
 and reduction of voltage in limb, in congestive heart failure, 1090
 precordial unipolar in echinococcus disease of left ventricle, 522, 523, 526-528
 right precordial RS-T segment in and heart disease, 135
 scalar coefficients for, vs. true heart vector, 844
- II**
 and abnormal RI and RJ waves, 860
 electrocardiogram and three-plane ballistocardiogram, 872, 874
- II and III**, in atrial flutter, 509-512
- V₂**
 in atrial flutter-fibrillation, 511-512
 negative T in, 134
 unipolar limb and precordial left axis deviation in, 607, 610
 in tricuspid atresia and single ventricle, 615-618
 vectorecardiographic in different systems, 656
 vectors and the Burger triangle, meaning of, 134
 in ventricular activity, of dogs, 658
- Left ventricular-right atrial shunt syndrome**, 813-818
- Leg**
 lower, syndrome, pathogenesis of and study of phlebodynamics, 744
 vascular responses to epinephrine, norepinephrine after Dibenzylamine, 727
See also Extremity
- Lesion** of mitral stenosis and insufficiency, and mitral commissurotomy, 28
- Levoangiocardigram**, of left ventricle, echinococcus disease of, 522
- Levocardia**, situs inversus with left axis deviation and cyanosis, 610
- Ligation**
 of coronary artery technic of, for induced myocardial infarction, 162
 pulmonary vein and artery, bronchspirometric determinations of pulmonary function in dogs after, 733
- Limb**
 thrombosis following trauma to, 949
See also Extremity; Leg
- Lindau's disease**, transmission of, 306
- Lipemia**, lipoprotein determinations in with paper electrophoresis, 949
- Lipid**
 of aortic intima in atherosclerotic areas, 683
 circulating, patterns during pregnancy and puerperium, 1095
 concentration of, within pericardial sac, and constrictive pericarditis due to, 197
 inhibitor in brain vs. activity of soy bean inositol phosphatide inhibitor, 144
 in experimental hypercholesterolemia, 305
 serum
 in advanced coronary artery disease, 695
 and gonadal steroids, 688
 patterns during pregnancy and puerperium, 1095
- Liquoid**, and meningococcal endotoxin cardiac lesions in rabbits induced with, 693
- Liver**
 blood flow
 measurement of, in burn patients, 746
 rate and colloidal radiogold disappearance rate, 932
 central lobular atrophy following heart block, 268
 cocarboxylase concentration in, 306
 in congestive heart failure, 1087
 damage and serum glutamic oxalacetic transaminase, 161, 795
 dysfunction and pericarditis, 40
 function
 in mitral stenosis, 699
 and rheumatic fever serum transaminase concentration, 803
 and Merpurate, 54
 metastases to, and carcinoid of small intestine, 1-6
 passive congestion of, due to heart block, 88
 postceliotomy, and unexplained jaundice, 923-924
 thiamine concentration in, in congestive heart failure, 306
- L-triiodothyronine**, and electrical response of myocardium, 1100
- Lung**
 blood flow and volume during anoxia, 140
 blood supply to from aorta as collateral circulation to heart, 681
 costophrenic septal lines in lower portion of, 811
 diseases of, and digitalis, 293, 294
 edema
 and cardiovascular collapse in acute poliomyelitis, 987-989
 following heart block, 268
 and heart pressure-volume relationships in, 141-142
 honeycomb and mitral stenosis in scleroderma, 1108
 infections and renal insufficiency, 1096
 and serum concentrations of glutamic oxalacetic transaminase, 795
 vascularity, increased and atypical tetralogy of Fallot, 230-237
- Lupus erythematosus**
 disseminated, and pericarditis, 31
 systemic
 arteritis associated with, 1066
 cardiovascular manifestations for, 904-908
- Lutembacher's syndrome**, 126-127, 132
- Magnesium**
 balance, during recovery from congestive heart failure, 1057-1063

- in cerebrospinal fluid, 1104
in rats with hypertension, 138
- Malaria**, plasmodial arteritis due to, 1066
- Malignancy**
and pericarditis, 31-32
superficial phlebitis in diseases with, phenylbutazone for, 834, 835
- Marfan's syndrome**
and aortic dissection, 1070
cardiovascular anomalies in, 190, 191
- Marie-Strumpell arthritis** and aortic insufficiency, 770
- Martorell's syndrome**, lumbar sympathectomy in treatment of, 239-241
- Master two-step test**
in coronary insufficiency of vasodilator drugs, 170-175
in normotensive patients with coronary disease, physiological response to, 721
in 116 normal males, physiologic response to, 705
- Medionecrosis**, cystic, 1065, 1071
- Medionecrosis cystica**, 1071
- Mecamylamine** in hypertension, 707, 751
- Mecuihydrin**,
diuretic potency of,
in congestive heart failure, 1086-1087
in normal dogs, 722
- Medulla**, involvement of and cardiovascular collapse in acute poliomyelitis, 990, 991-992
- Mental disorders**, depression of, due to reserpine, in hypertensives, 929
- Mercaptopmerin sodium**, rectal suppository, diuretic effect and local tolerance of, 143-144
- Merpurate**, 52, 55-59
- Metamine**
for angina pectoris, 767
and coronary insufficiency, 938
and exercise, 169-175
long term study of, 720
- Methylene blue** vs. T-1824 in study of heart disease, 706
- Miopressin**, 782
- Mitral valve**
calcification of, 28
commissurotomy
in class IV cardinals, 694
and Dicumarol, 981-985
fifty patients with, five or more years after, 726
methods for evaluation, 7-29
selection for, 942
congenital anomalies of, 744
coronary blood flow and myocardial metabolism in, 762
disease of, 1098
ballistocardiographic study of, 676-677, 700
cineangiogram of alteration in course of coronary sinus in, 201
electrocardiogram in, 770
kinetocardiography in, 700
- left atrial pulse pressure in, 715
in patients over 50, 148
phonocardiographic study of, 772
spatial vectorecardiogram in, 770
- insufficiency of
ballistocardiogram in, 278-285
clinical and graphic, 718
dynamics of, 149
kinetocardiograms in, 278-285
and total circumferential suture of mitral ring, 712
lesions of pulmonary capillary pressure curves in, 930
obstruction of, and indirect left atrial pressure tracings, 943
regurgitation
and contour of pulmonary arterial wedge pressure curve, 930
diagnosis of by cardioangiography, 777
scarring of, in occlusive auricular thrombi, 253
- stenosis of
arterial pulse pressures in, 932
Aschoff bodies in left auricular appendages in, 1107
and auricular fibrillation, 76
ballistocardiograph in, 858-867
and cardiac catheterization, 70-71
clinical and graphic, 718
comparison of methods for measurement of, 1107
with congestive heart failure, and digoxin, 726
evolutionary pattern of isolated, 740
electrocardiography in left cardiac cycle, 73-80
exercise tolerance test in, 946
hemodynamics of, in atrial flutter, 508
hepatic circulation and function in, 699
implication of first sharp sound in, 753
kinetocardiograms in, 278-285
and mitral valvulotomy, 70-71
and opacification of coronary sinus, 203
oxygen removal rate after exercise, 774
and pulmonary artery pressure, 858-867
pulmonary artery pulse pressures in, 932
pulmonary hemosiderosis in, 944
pulmonary hypertension in, 1107, 1108
rheumatic auriculitis associated with, 714
right heart strain in, 1106
roentgenograms of, 807-811
and surgery, 8-9, 13, 680, 943
technic for opening of, 948
test for alteration of cardiodynamics of, 714
- water excretion, after exercise, 92
valvotomy, angiocardigram in, 778
vectorecardiography in, 1106
- Moenckeberg's sclerosis**, 1065
- Mongoloid**
and congenital heart disease, 650, 775
in infants, 649
- Morphine**
and coronary insufficiency, 938
and pulmonary emphysema, 314-315
- Mortality**
in mitral commissurotomy in class IV cardinals, 694
selection of patients, 7-29
in myocardial infarction, 207-213
in staphylococcal bacterial endocarditis, 1086
in transventricular vs. transaortic commissurotomy for rheumatic aortic stenosis, 785
- Murmur**
acyanotic cardiac lesions with continuous, simulation of patent ductus arteriosus, 747
of aortic insufficiency, and location of intimal tear, 1076
in atypical tetralogy of Fallot, 235
auricular diastolic, in heart block, chronic complete, 262
and cardioaortic fistula, 823-825
double mitral, rejection of patient for mitral commissurotomy due to, 22, 28
in first year of life, 1102
Graham-Steell, in selection for mitral commissurotomy, 14-16
in mitral insufficiency, 279
in noncyanotic heart disease with heart failure, 124-131
and occlusive auricular thrombi, 256
and pericarditis, 33
in rheumatic heart disease, 941
tricuspid of stenosis, 761
- Muscle**
of heart
contractility of, and digitalis, 121
creatine content, 781
damage to, in obstructive coronary disease, 530-541
degenerative and inflammatory diseases of, and digitalis, 291
ion transport in, 939
vs. liver, energy producing mechanisms in, 635
and myocardial metabolism, 636-646
potassium flux in, effluographic determination of, 788
temperature and glucose utilization for contractile force, in cat, 1105

Muscle (*Cont'd*)

- slices, effect of cardiac steroids and epinephrine on respiration of, 310
 - infarction of
 - and coronary insufficiency vs. myocardial ischemia, 532-533
 - and serum glutamic oxalacetic transaminase, 161-167
 - and lesions of heart valves in Marfan's syndrome, 190
 - skeletal
 - in dermatomyositis, 914-915
 - and serum glutamic oxalacetic transaminase concentration, 795
 - striated, involvement of, in collagen diseases, 918
 - temperature of, following Priscoline injection, 1101
- Myasthenia gravis**, 936
- Myeloma**, multiple, systematized amyloidosis with, 935
- Myocarditis**
 - diphtheritic, and use of digitalis, 291
 - and systemic lupus erythematosus, electrocardiogram of, 907
 - viral in rheumatic, glutamic oxalacetic transaminase serum concentration, 797
- Myocardium**
 - defective contraction of, congestive heart failure due to and digitalis, 291
 - and digitalis, 119
 - in echinococcus disease of left ventricle, 520-528
 - efficiency of, after complete heart block, 265
 - electrical response of, to inhibitors, 1100
 - failure, during rapid rewarming following hypothermia in dog, 679
 - functional inefficiency of constrictive pericarditis due to, 37, 41
 - infarction of
 - and adrenal insufficiency in, 745
 - anterior and posterior, combined, 1089
 - anticoagulant therapy in, 306, 656, 731-732, 745
 - bishydroxycoumarin therapy in, 145
 - and body weight, 211-213
 - and caloric intake, 211-213
 - and electrocardiographic patterns, 307
 - cardiac rupture following, 1088
 - and cerebral vascular thrombosis, 701
 - in chair treatment, 656
 - and clearance of radioiodine from extremities, 677
 - and complication, 697
 - and coronary insufficiency, 133
 - and coronary occlusion, 133, 656
 - and dicumerol, massive intermittent dose method, 720
 - and digitalis, 293

- in elderly subjects, 207-213
 - electrocardiograms after eating, 656
 - electrocardiographic patterns in patients with second, 307
 - endocarditis in mural thrombus after, 242-245
 - epidemiologic aspects of, 738
 - in guinea pig, hamster, mouse and rat, 306
 - and heparin, 1084
 - and intramuscular aqueous heparin, 1084
 - with mural thrombus, 246, 256
 - non-fatal, in subjects over sixty, 765
 - and occlusive auricular thrombi, 256
 - painless, in psychotic patients, 740
 - and pericarditis, 30-31
 - with peripheral embolization, 246
 - Phenylindanedione for, 762
 - prodromal syndrome of, 753
 - with pulmonary embolization, 246
 - rupture following, 1088
 - and serum glutamic oxalacetic transaminase, 161-167, 729
 - shock due to renal hemodynamic response to norepinephrine during treatment of, 103
 - and silent electrocardiograms, 711
 - and spatial vectorcardiogram, 711
 - stress in, 727
 - sudden changes in weather and occurrence of, 656
 - and survival, 307, 731-732
 - transaminase test in detection of, 729
 - unsuspected cases of acute, 677
 - urinary coproporphyrins following, 1096-1097
- insufficiency
 - and mitral commissurotomy, 7-29
 - and pulsus alternans, 62
- involvement of
 - in collagen diseases, 903-918
 - in systemic lupus erythematosus, 904-908
- ischemic
 - and coronary occlusion or insufficiency, 133
 - necrosis of, 1088
- lesions of, nomenclature for, 533-534
- metabolism of, 635-646
 - in hemorrhagic shock, 933
- oxygen extraction by and aorticocoronary sinus, 133
- in poliomyelitis, 990, 992
- primary amyloid infiltration of and constrictive pericarditis, similarities in, 827-832
- right atrial function of, impairment of, 205
- scarring of outer surface of and calcification of pericardium, 50

- sensitivity to Adrenalin in the anxiety state, 136

Myxedema

- and aortic dissection, 1071
- and digitalis, 294
- and pericarditis, 31
- cholesterol, 193, 197

Nausea, due to Mergurite, 58**Necrosis**

- anterior wall and systemic lupus erythematosus, 905
- arteriolar, 1065
- ischemic
 - and coronary occlusion and sufficiency, 133
 - of myocardium, 1088
- myocardial
 - and glutamic oxalacetic transaminase, 161-167
 - recognition of and transaminase serum concentration changes, 795
- tubular, acute renal failure due to, 923, 925-926

Nephrosis, in unexplained jaundice, 926**Neoplasm**, pulmonary, phenylbutazone for superficial phlebitis in, 835**Nephrectomy** and renoprival hypertension, 310**Nephritis**, acute, hypertension, elevated venous pressure and cardiac enlargement and use of digitalis, 293**Nephrotic syndrome**

- corticotropin therapy for, 148
- water and sodium diuresis during, 1092
- with thrombosis of renal veins, 950

Nerve

- bilateral glossopharyngeal section, circulation and respiration after, 692
- sensory, ischemia as part of shoulder-hand syndrome, 737

Nervous system

- general, soothing effects of Rauwolfia serpentina on, 222
- vascular tumors of, hereditary, 306

Neurohypophysectomy restoration of renal hemodynamics after, and pituitrin, pitocin, pitressin, 933**Newborn**

- heart of
 - and Kent's alternate theory of conduction, 177-183
 - and postnatal adaptation of circulation, 930
- respiration of and hypoxia, 1104

New York City Health Department, medical rehabilitation program for children with congenital heart disease, 132**Nitrogen**

- balance
 - gains in tissue weight associated with, 631
 - in myocardial infarction of elderly subjects, 211, 212

- serum nonprotein and retinal vascular reactivity, relation between, 66
- Nitroglycerine**
in angina pectoris, 767
ballistocardiogram response to, 588-601
and exercise response in coronary insufficiency, 169-175
- Nitroglynn**
and coronary insufficiency, 938
and exercise response in coronary insufficiency, 169-175
- Noradrenaline**
and blood pressure in hypertensives, 546
duration of, during cardiovascular collapse in acute bulbar poliomyelitis, 987-988, 992
pressor responses to, in hypertension, 974-979
for shock and clearance of radioiodine from extremities in myocardial infarction, 678
superficial phlebitis due to, phenylbutazone for, 835
- Norepinephrine**
ambivalent action of in normotensive and during shock, 106-107
and epinephrine
after Dibenzylamine, vascular responses in dog's hind leg to, 727
plasma concentration in hypertension, 746
and thyroid hormones, hemodynamic and metabolic interrelationships in activity of, 684
and hearts, rabbits, perfused with Locke's solution, 1100
in neurogenic control of blood vessels, 450-451
renal hemodynamic response to, during shock, 98-107
sodium and potassium exchanges associated with, 144
- Obesity**, and degenerative heart disease, 1089
- Obstruction**
mitral valve
and indirect left atrial pressure tracings, 943
mitral commissurotomy for, 7-29
renal artery and malignant hypertension, 1094
- Occlusion**
arterial, and exercise before and after sympathectomy, 934
caval, and section of bundle of His, femoral arterial pressure before, during, and after, 83
circulatory, total and clinical hypothermia, 680
coronary
changes in RS-T segment and QRS complex following, 135
and collateral anastomoses, 682
and coronary insufficiency, suggestive manifestations of, 133
- experimental, using polyethylene tube, in dogs, 656
failure of cardio-pericardioplexy to protect experimental piglets against, 717
in hypertension, 1088
as method in experimental myocardial infarction, 306
myocardial metabolic response to, 641-642
and pericarditis, 30
survival and rehabilitation after, 656
and traumatic injuries, serum iron after, 133
femoral artery and segmental aorto-iliac, 948
of thoracic aorta, 1106
- Octyl nitrate**, and coronary insufficiency, 938
- Cedema**, in potassium deficiency, 1095
- Oliguria**
in cardiac patients, diuresis response to oxygen therapy in, 652
reversible, management of, 1095
- Osteitis deformans**, circulatory dynamics in, 215-218
- Ouabain**, 118
and embryonic chicken hearts, 315
and epinephrine, in heart muscle slices, 310
oxygen consumption and beat following, in embryonic chicken heart, 315
U.S.P., 298
initial and maintenance therapy dosage, 297
- Overbreathing**. See Hyperventilation
- Owren's disease**, 1084
- Oximeter**
arterial indicator-dilution curves with, in pulmonary stenosis and ventricular septal defect, 999, 1003
cuvette, cardiac output by, under cyclopropane - oxygen and ether anesthesia, 1103
direct recording ear for evaluating circulatory shunts, 788
- Oxygen**
arteriovenous difference
and age of subject, 573
in atrial flutter, 508, 514, 516
cerebral, and hypotension, 146
after complete heart block, 85
in congestive heart failure, 1051-1054
following exercise, 1102
in mitral stenosis and mitral commissurotomy, 14-16
in mitral stenosis, and mitral valvulotomy, 70
in arms and legs affected by Paget's disease, 216-218
and total occlusion of thoracic aorta, 1106
in Cheyne-Stokes respiration, 933
consumption
and age, 575
in atrial flutter, 508, 514, 516, 518
- and Diamox, in pulmonary emphysema, 1096
and Dibenzylamine, 144
in embryonic chicken hearts and Ouabain, 315
and exercise, 1102
and exercise in rheumatic disease, 774
in heart block, in dog, surgically induced, 85, 265
in infectious hepatitis, 1098
influence of shock on, 931, 933
in mitral stenosis and mitral commissurotomy, 14-16
in Paget's disease, 216-218
and Tromexan, 648
extraction, blood
after ACTH, 1049
after cortisone, 1051
and rapid temperature changes, 750
at high pressure vs. epinephrine, pulmonary damage due to, 1100
and hypothermic cardiac standstill, 937
and myocardial metabolism, 637-646
removal ratio, after exercise and in mitral stenosis, 774
respiratory volume response to, in emphysema, 314-315
saturation
arterial, during apnea, 933
blood, in pulmonary stenosis with atrial and ventricular septal defect, 1000-1001
tension and blood flow of ischemic toes, effect of oscillating bed on, 705-706
therapy in congestive heart failure, antidiuretic effects following, 652
- Oxygenator**, for artificial maintenance of cardiopulmonary function, 775
- Oxytetracycline**, for streptococcal sore throat and incidence of rheumatic fever, 1108
- Paget's disease**
circulatory hemodynamics after exercise, 215-218
and use of digitalis, 293
- Pain**
chest, Tietze's syndrome in diagnosis of, 1101
in dissection of aorta, 1073-1075
heart, mechanisms and relief of, 764
of occlusive arterial vascular disorders, control of, 1105
- Pancarditis**, rheumatic, serum glutamic oxalacetic transaminase in, 798-799
- Pancreas**, carcinoma of, phenylbutazone for superficial phlebitis in, 835
- Pancreatitis**, hemorrhagic, and unexplained jaundice, 926
- Papaverine**
and coronary insufficiency, 938
and exercise, 169-175
- Para aminohippuric acid**, tubular transport of, effect of renin on, 147

- Parahemophilia**, 1084
- Paralysis**, bulbar, blood pressure in cardiovascular collapse of, 987
- Paveril**
and angina pectoris, 767
and coronary insufficiency, 938
and exercise, 169-175
- Pelvis**, involvement of, in Paget's disease, 216-218
- Penicillin**
dibenzylethylenediamine in prevention of rheumatic fever, 148
oral vs. Benzathine penicillin in streptococcal prophylaxis, 1107
and streptococcal infections in rheumatic fever, 945
- Pentaerythritol tetranitrate**. *See* Peritrate
- Pentapyrrolidinium** and hexamethonium, comparison in hypertension, 313
- Pentobarbital**, vasomotor tone increase due to, 934
- Pentolinium tartrate** in hypertension, 690, 777
- Periarteritis nodosa**, 1066
- and pericarditis**, 31
- Pericardiectomy**, for cholesterol pericarditis, 193-197
- Pericarditis**
and calcification of pericardium, 33, 36
cholesterol content of fluid and pericardiectomy, 193-197
constrictive
cardiac pulse pressure tracings in, 142
etiology factors of, 30-41
hemodynamics of, in atrial flutter, 508, 510
and primary amyloid of heart, similarities of, 827-832
renal hemodynamics in course of, 140
as sequel to acute benign pericarditis, 143
after X-ray therapy, 936
edemic, 33-37
electrocardiography in, 33
heart action of, fluoroscopy in, 37
idiopathic, simulating surgical abdomen, 763
and pulmonary infarction, experimental, serum transaminase levels in, 712
with systemic lupus erythematosus, 905
electrocardiogram of, 906
- Pericardium**
calcification of, 44-51
cholesterol content of fluid in, 193-197
diverticula, 936
and epicardium involvement in systemic lupus erythematosus, 904
fluid level in, and microscopic appearance of, 196
- Peritrate**
and angina pectoris, 767, 1099
and coronary insufficiency, 938
and exercise, 169-175
- Phenindione**
clinical use of, 680-681
- Phenolsulfonphthalein**, excretion of, proteinuria, and retinal vascular reactivity relation between, 66, 67
- Phenoxybenzamine**, blood pressure reduction with, cerebral hemodynamic response to, 144
- Phenylbutazone**
for superficial thrombophlebitis, 833-836
- Phenylindanedione**, in management of acute myocardial infarction, 762
- Pheochromocytoma**, effect of benzodioxane on urine flow in, 689
- Pherentasin**
and apresoline, 137
inactivation of by antihypertensive drugs, 772
- Phonocardiogram**
influence of P-R interval on first heart sound, 1090
in mitral insufficiency with musical quality to murmur, 279
spectral, auricular diastolic murmur detected with, 262
- Phonocardiography**
and calibration of heart sounds and murmur, 939
spectral, current status of, 744
and time factors in first and opening snaps, 772
- Phosphate**, and myocardial metabolism, 635, 646
- Phosphatide**, inositol, and atherosclerosis, in rabbits, 1098
- Phosphocreatine** and myocardial metabolism, 646
- Phosphorus**, inorganic, myocardial extraction of, in dogs cooled to 30 C. and rapidly rewarmed to 36 C., 750
- Phosphorylation**, oxidative, digitoxin and uncoupling of, 716
- Photofluorography**, and cardiovascular disease, detection of, 947
- Photomicrograph**, in de-epicardialization for angina pectoris, 959
- Photomicrography**
in dissecting aneurysm produced by diet, 187, 189
- Phrenicectomy**
ballistocardiogram following, 927
- Pilocarpine**, salivary concentrations following, 1084
- Piperoxan**, hypertensive crisis and myocardial ischemia induced by, 313
- Pitocin**, after neurohypophysectomy for restoration of renal hemodynamics, 933
- Pitressin**
depressor effect of, 139
and renal hemodynamics after neurohypophysectomy, 933
specificity of, 1092
- Pituitrin**, and restoration of renal hemodynamics, after neurohypophysectomy, 933
- Plasma**
bleeding and clotting time, 305
blood, radioiodine levels in, 936
cholesterol, isotopic studies of, 948
cholinesterase activity in myocardial infarction, 308
epinephrine and norepinephrine in hypertension, 746
expanders and bleeding times, 1084
17-hydroxycorticosteroid in, influence of epinephrine on, 145
renal flow
and ambulation, position, in hypertension, 928-929
and vasopressor agents during shock, 100, 105
volume
in atrial flutter and in flutter converted to sinus rhythm, 512-516
during carbon dioxide breathing after splenectomy, 1103
in hypothermic dogs, 305
- Plethysmography**, for hand and finger blood flow, 1105
- P loop**, form and orientation of, 287
- Pneumonia**, viral, in rheumatic subjects, serum transaminase concentration in, 797
- Pneumonopexy**, and de-epicardialization for angina pectoris, 960
- Pneumoperitoneum**, ballistocardiogram following, 927
- Pneumothorax**, ballistocardiogram following, 927
- Poisoning**, digitalis, arrhythmias of, treatment, techniques for control of, 300-301
- Poliomyelitis**, acute bulbar, cardiovascular collapse in, 986-992
- Polyarteritis nodosa**, 1066
- Polyarthritis** and cardiac involvement, glutamic oxalacetic transaminase serum concentration, 797, 801
- Position (of subject)**
and blood pressure in hypertensives, 543-551
head-down, water, chloride, total mols, and creatinine excretions following, 1102
and response to hypotensive blocking agents, 452
- Postcardiotomy syndrome**
in rheumatic disease, cortisone and ACTH as prophylactic and therapeutic agents in, 696
- Postcommissurotomy syndrome**, 944
correlation of incidence and clinical pattern with histochemical analysis of atrial tissue and serologic studies, 741

Posture

- variations in, and response to of neurogenic component in hypertension, 548-549
- in sinus arrhythmia, 143
- and symptom precipitation in occlusive auricular thrombi, 256-257

Potassema, hypo- and hyper-, electrophysiologic explanation of electrocardiographic, 738**Potassium**

- balance during recovery from congestive heart failure, 1057-1063
- concentration, restricted dietary sodium and contents of terminal ileum and feces, 625-629
- deficiency
 - edema in, 1065
 - myocardial changes in, 935
- electrocardiogram and duration of systole, 657
- excretion
 - adrenal medullary hormone action on, 1092
 - and hemorrhagic shock, 99, 101
- flux in heart muscle, effluographic determination of, 788
- vs. K-strophanthoside, and ectopic ventricular arrhythmia, 718-719
- metabolism of, after mercurial diuretic in congestive heart failure, 897-902
- myocardial extraction of, in dogs cooled to 30 C. and rapidly rewarmed to 36 C., 750
- serum concentration
 - changes during treatment for congestive heart failure, 901
 - in hyperpotasemia of diabetic acidosis, 678
 - and metabolic balance in myocardial infarction of elderly subjects, 210-211
- and sodium, changes in total exchangeable, in hypertension, 138
- urinary excretion of, in edematous subjects, 1099

Potassium chloride, and ectopic beats and rhythms, arteriovenous conduction disturbances, 678**Precordium**, left, systolic retraction in and anterior movement of, 280-285**Pregnancy**

- and aortic dissection, 950
- and rupture, 1070
- changes due to, and spontaneous dissecting aneurysm, 190-191
- circulatory adjustments to, 147
- and coronary artery disease, 1086
- plasma lipid and serum lipoprotein patterns during, 1095
- toxemia of hypertension and

pyelonephritis masquerading as, 704

Premature, heart of, during and after postnatal adaptation of circulation, 930**Pressor**

- intracranial, 449, 883-889
- test, in intra-arterial response to cold immersion stimulus, 963-973

Pressure

- aorta and left atrioventricular, simultaneous measurement of, 69-80
- arterial
 - after femoral arteriovenous fistula, 1092
 - in heart block, complete, 85, 262-263
 - in infectious hepatitis, 1098
 - and intracranial compression in regulation of blood supply, 448-449
 - after miopressin, 782
 - in mitral commissurotomy, 14-16
 - and venous return, 1106
- circulatory filling, and cardiac output, 1106
- coronary artery, and contractile strength of right ventricle, in dogs, 768
- femoral arterial, after heart block, chronic 83, 86
- complete, 263
- indirect left atrial tracings and mitral obstruction, 945
- in infundibular chamber during cardiac catheterization, 764-765
- intra-arterial response to cold immersion stimulus, 963-973
- intracardiac
 - in heart strain, 656
 - in pulmonary stenosis with atrial and ventricular septal defects, 1000-1002
 - and timing of auricular sound, 939
- intracranial, increase in, due to compression, 888
- intrathoracic, use of intraesophageal pressure as index of, 141
- left atrial, and tilting, in heart failure, 755
- perfusion, and coronary flow, 1088
- positive-negative respiration, circulatory dynamics of venous return during, 146
- pulmonary arterial
 - in acyanotic heart disease, 1086
 - following exercise, 1102
 - measurement of, 940
 - in mitral commissurotomy, 14-16
 - in osteitis deformans, after exercise, 217-218
 - in patent ductus arteriosus, 1086
 - in pulmonary stenosis, 998

response to left atrial pressure in induced mitral stenosis, 932

and simultaneous electrocardiogram-ballistocardiogram recordings, 858-867

wedge, in mitral regurgitation, 930

right atrial, rapid injection of fluid in vena cava, 934

right auricular, after complete heart block, 87, 262

right ventricular during cardiac catheterization, 764-765

in mitral commissurotomy, 14-16

in mitral commissurotomy, after exercise, 19

after rapid injection of fluids in vena cava, 934

in right heart, in congestive failure, 1054

in valvular pulmonic stenosis and intact interventricular septum, 699

systemic arterial, in mitral commissurotomy, 14-16

vascular

after ACTH, 1050, 1053

after cortisone, 1051

after heart block, chronic complete, 262-263

venous

in congestive heart failure, and digitalis, 1051, 1054

and edema of congestive heart failure, 630-633

after exercise, 92

in myocardial infarction of elderly subjects, 212-213

and pericarditis, 33, 37

ventricular filling, in pulsus alternans, 62

volume displacement, left ventricular work calculated as, 1007-1009

Pressure curve

in atrial fibrillation, 509-512

in constrictive pericarditis with atrial flutter, 509

in hypertensive heart disease and pulsus alternans, 61

pulmonary artery, right ventricular

in atrial flutter-fibrillation, 511

in auricular fibrillation, 865, 867

pulmonary capillary

in cardiopulmonary disease, 931

in mitral lesions, 930

in rheumatic heart disease with aortic insufficiency, 61

right atrial and pulmonary artery, simultaneous, in flutter-fibrillation, 511, 512

Pressure gradient

arterioventricular after valvulotomy, 77, 79

in atypical tetralogy of Fallot, 235

- Pressure gradient** (*Cont'd*)
blood viscosity influence on, 1106
- P-R interval**
influence of cardiac potassium quotient on, 657
influence of, on first heart sound in arterioventricular block, 1090
in mitral commissurotomy, selection for, 14-16
prolongation of, and digitalis, 121
- Priscolline**
and coronary insufficiency, 938
temperature response to, in joint, muscle and skin, 1101
- Procaine amide**
extracardiac sites of action of, 937-938
for ventricular paroxysmal tachycardia due to digitalis poisoning, 301
- Prodromal syndrome**, of myocardial infarction, 753
- Prostigmine**, influence of, on ventricular fibrillation due to focal cooling, 620-623
- Protein**
of aortic intima in atherosclerotic areas, 683
c-reactive,
as diagnostic aid in coronary disease, 735
in serum transaminase of rheumatic fever, 795-805
- Proteinuria** vs. retinal vascular reactivity, arterial and venous, 65, 67
- Prothrombin**
activity and concentration of, in serum-induced thrombosis response to Dicumarol and heparin, 554-555
adsorbing salts, effects on coagulation, 648
- Pseudobrucine**, 220
- Pteroylglutamic acid**, transitory maternal deficiency, pathogenesis of cardiovascular abnormalities in fetal rats following, 750
- Pulmonary artery**
absence of right, and ventilation, 651
in atypical tetralogy of Fallot, 232, 234-237
commissure, nomenclature for, 730
congenital absence of main branch of, 650-651
hypertension and increased pulmonary resistance, 316
pressure
measurement of, 940
and mitral surgery, 7-29
in patent ductus arteriosus, 1086
response to left atrial pressure in induced mitral stenosis, 932
and simultaneous electrocardiogram - ballistocardiogram recordings, 858-867
pulse pressure, in atrial fibrillation and flutter, 508-518
- stenosis of, 1102
electrocardiography in, 1085
experimental, 314, 692
intracardiac left - to - right shunt with, 652
muscular contraction in infundibular region as mechanism of, 764-765
and opacification of coronary sinus, 203
redistribution of systemic blood in, 649
with ventricular septal defect, 752, 789, 994-1004, 1085
- Pulmonary valve**
anaerobic cellular metabolism in anoxia from circulatory impairment, 725
infarction, and pericarditis, serum transaminase levels in experimental, 712
insufficiency of, and radioiodine, 718
stenosis of
electrical axis in 177 cases of, 605-606
with intact interventricular septum, 699
- Pulmonary vascular obstruction syndrome**, 316
- Pulse**, jugular, double A wave of, 711
- Pulse pressure**
abnormal phase II during Valsalva maneuver in heart failure, 686
and age of subject, 561, 571
and cardioaortic fistula, 823, 825
central and peripheral relationship between, in aortic stenosis, 791
left atrial in mitral valvular disease, 715
in pericarditis, 33, 37
and pericardial effusion, 142
pulmonary artery, in congestive heart failure, 515
- Pulse rate**
and heart block, chronic complete, in dogs, 260-261
femoral, 263
- Pulseless disease**. *See* Takayasu syndrome
- Pulsus alternans**
in congestive heart failure, 60-62
and digitalis, 62
- Purpura**, thrombocytopenic, and quinine, 937
- P vector loop**, differential vectorcardiography for, 768
- P wave**
in calcification of pericardium, 47, 49, 50
cardiac potassium quotient influence on, 657
in dysrhythmias of coronary sinus, 657
left axis of, in tricuspid atresia and single ventricle, 614
negative, ectopic auricular contractions with, after QRS complex, in total heart block, 143
- Pyelonephritis**, and hypertensive vascular disease, masquerading of, as toxemia of pregnancy, 704
- Pyemia**, staphylococcal, and cardioaortic fistula, 825
- Pyramidon**, in postcardiotomy syndrome, 696
- Pyruvate**
metabolism
cardiac, in myocardial ischemia, 758
myocardial, 637-646
- Q interval**, ballistocardiogram, length of in men vs. women, 874-875
- Q-R interval**, in tricuspid atresia and in single ventricle, 616-618
- QRS**
deflection, 50, 51
deflection in V_5 in tricuspid atresia and single ventricle, 615-618
electrical axis of, nomenclature, 604-605, 609
measurement of duration of variability of, 679
- QRS complex**
in echinococcus disease of left ventricle, 526-528
in mitral insufficiency kinetocardiogram, 280-283
new empirical formula for opposite changes of, 658
prolonged, value of adjusting Q-T duration for, 739
and RS-T segment
changes in, following coronary artery occlusion, 135
and T wave abnormalities in presence of normal, 787
from V_1 to V_5 in left axis deviation, in tricuspid atresia and single ventricle, 615-618
voltage, 47, 49, 50, 51
- QRS loop**
form, types 1 and 2 in frontal, sagittal, and frontal stereoscopic views, 287-288, 290
spatial
and age of subject, 287-290
orientation and magnitude of, 287-289
- QRS wave**
in echinococcus disease of left ventricle, 523, 526
- Q-T interval**
duration of systole at slow ventricular rates, 135
in tricuspid atresia, 618
- QT**
formula for calculation of, 687
prolongation of, in rheumatic heart disease in children, 783-784
- Quinidine**
for atrial fibrillation, 782
supporting role of digitalis in, 787
depression of heart by, and treatment for, 1099
and/or digitalis bodies for atrial

- flutter conversion to sinus rhythm, 513
and irreversible cardiac depression due to adenosinetriphosphatase activity in rat, 767
sulfate
extracardiac sites of action of, 937-938
and quinine, as coronary vasodilators, 793
- Quinine**
and quinidine sulfate as coronary vasodilators, 793
and thrombocytopenic purpura, 937
- Q wave**, in left ventricular leads, in tricuspid atresia and single ventricle, 618
- Rabbit**
arteriovenous shunt and cardiac lesions, 685
heart muscle, creatine content of biopsied, 781
hypercholesterolemia in, and heparin, 305
hypertensive of hybrid strains, development of, 312
- Radiation**
therapy with, and pericarditis, 31
ultra-violet, vascular responses in skin injury due to, 1099
- Radiochromium**, for determining variations in blood volume of healthy males, 787
- Radiogold**, colloidal, disappearance rate of, and liver blood flow, in cirrhosis, 932
- Radiography**, cardiovascular, motion in, 1034-1041
- Radiiodine**
for incapacitated euthyroid cardiacs, 937
in paroxysmal tachycardia, 713
in pulmonary insufficiency, physiological changes seen after use of, 718
urinary excretion of, in tests of thyroid function, 136
- Radiology**
in cardioaortic fistula, 824
in echinococcal heart, 520-528
- Radiosodium**, space, during treatment in congestive heart failure, 899, 900
- Rat**
adrenalectomized, hypertension in, 313
cardiac malformations with induced congenital transposition complexes, 707
cardiovascular disease in, 1093
cardiovascular-renal lesions in, 776
congenital cardiovascular abnormalities in offspring, and diet, 750
congenital transposition complexes, experimental, with malformation in, 707
hypertension induced in with desoxycorticosterone and/or cortisone, 138
and Pitressin, 139
salt and water balance of, 709-710
mobilization of fat in, and cortisone, 144
renal shunt in, 140
scoliosis and hernia in, due to diet, 185-186
- Rauhimbine**, 221
- Raupine**, 221
- Rauwiloid**, added to Veriloid in hypertensive patient, 137
- Rauwolfia serpentina**
alseroxylon fraction of, for arterial hypertension, 732
for coronary disease, 739
therapy in hypertension, 137, 700
review of the literature, 221-225
See also Reserpine
- Raynaud syndrome and corticosteroid**, 918
- Red blood cell**
agglutination in malarial infestation, plasmodial arteritis due to, 1066
derived volume of, in myocardial infarction of elderly subjects, 212
- Reflux**, coronary and vena cava cineangiography in study of, 199-205
- Renin**
and antirenin, treatment of spontaneous or essential hypertension with, in dogs, 786
renal function response to, 147
- Rescinnamine**, alkaloid, clinical and renal hemodynamic effects of, in arterial hypertension, 732
- Resection**
for aneurysm and occlusive diseases of aorta, 947
of aortic arch using vessel couples, 710
- Reserpine**, 221
and chlorpromazine effects of, on central autonomic vasomotor mechanisms, 717
for hypertension, 136, 138, 139, 694-695
and ganglion blockers, combination therapy with, in hypertension, 698
and/or hydralazine or hexamethonium, 1094
and mental depression, 929
See also Rauwolfia serpentina
- Resistance**
peripheral
in coronary shock, experimental, 676
determinants of, 759
after ganglioplegic agents, 934
and age of subject, 570-575
after exercise, 217-218
pulmonary arterial, 316
following exercise, 217-218, 1102-1103
renal vascular
and ambulation, position, in hypertension, 928-929
effect of vasopressor agents on, during shock, 99, 101
vascular, influence of shock on, 931
- Respiration**
and alkaloids, ajmaline vs. serpentine groups, 221
Cheyne-Stokes, oximeter study in, 933
and circulation after bilateral glossopharyngeal nerve section in man, 692
and cor pulmonale, 783
of heart muscle slices, effect of cardiac steroids and epinephrine on, 310
of newborn infants, and hypoxia, 1104
and pericarditis, 33
and tract infection, 31
positive-negative pressure, circulatory dynamics of venous return during, 146
- Rheoplethysmography**, digital, 675
- Rheumatic disease**
advances in diagnosis of, 942
and aortic insufficiency in pulsus alternans, 60-61
in children
QT, in prognosis of, 783-784
and youth, 944
hemodynamics of
in atrial flutter, 508
in congestive failure, after cortisone, 696
of mitral commissurotomy, 20-22
murmur in early, 941
oxygen consumption during exercise in, 774
and pericarditis, 30, 41
schema of, 27
and serum glutamic oxalacetic transaminase, 800, 802
postcardiotomy syndrome with, ACTH and cortisone in, 696
surgery for, 947
and blood determinations, 946
vectorcardiographic patterns in fifty-six autopsied cases, 788
- Rheumatic fever**
and corticotropin
adrenal response, 148
and cortisone, 928
sodium and weight changes due to, 891-896
antibiotics for prevention of, 945
arteritis associated with, 1066
diagnosis and treatment of, 942
in large southern hospital, 740
and use of digitalis, 291
epidemiology of, in Miami, Florida, 769
hormone therapy for, 943
17-hydroxycorticosteroids in, 943
and oxytetracycline therapy of streptococcal sore throat, 1108
prevention of, dibenzylethylene-diamine, dipenicillin G for, 148
rheumatic activity test in, 945
and rheumatic heart disease in children and youth, 944

- Rheumatic fever** (*Cont'd*)
 and serum glutamic oxalacetic transaminase, 754, 795-805
 and systemic lupus erythematosus, signs of, 908
 treatment of, 941
 streptococcal infections for prevention of, 147-148
- Rhythm**
 abnormal, in mitral stenosis, 76-77
 cardiac, and endotracheal intubation, 315
 conduction, and sympathomimetic drugs, 794
 ectopic, effect of potassium chloride on, 678
 idioventricular, in surgically induced complete heart block, in dog, 83-84
- RI wave**
 and RJ wave, abnormal ballistic, in mitral stenosis, 859-860, 865-867
- Roentgenogram**
 chest,
 in atypical tetralogy of Fallot, 231-234
 in pericarditis, 33-35
 costophrenic septal lines on, in pulmonary venous hypertension, 807-811
 of left ventricle, echinococcus disease of, 521, 522
 in mitral commissurotomy, 25-26
 in pulmonary stenosis and ventricular septal defect, 995-996
- Roentgenography**
 in cholesterol pericarditis, 194-197
 in de-epicardialization for angina pectoris, 959
 in dissecting aneurysm produced by diet, 187, 188
 in mitral stenosis and mitral commissurotomy, 25, 26
- Roentgenology**
 in recognition of echinococcus disease, 525
 in sphincter mechanism of caval and pulmonary veins, 150
 switch-tubes for clarification of blood and contrast substance, 1038-1041
- Roniacol**, and coronary insufficiency, 938
- RS-T segment**
 in calcification of pericardium, 47, 48, 50
 in echinococcus disease of left ventricle, 523, 526-528
 in intermediate coronary artery syndrome, 656
 in presence of QRS complex, 787
 following coronary artery occlusion, 135
 in right precordial leads, 135
 and T wave pattern abnormalities in presence of normal QRS complexes, 787
- R wave**
 in echinococcus disease of left ventricle, 521-523, 526-528
- in left ventricular hypertrophy, 820
- Rupture**, myocardial, associated with anticoagulant therapy, 309
- Salicylate**, for rheumatic fever, 941
- Saliva**, electrolyte concentrations in, 1094
- Salt**
 urinary hypertonic excretion, effect of exercise on, in congestive heart failure, 94
 and water balance in experimental hypertensive rats, 709-710
- Sarpagine**, 221
- Scleroderma**
 arteritis associated with, 1066
 cardiovascular manifestations of, 911-914
 honeycomb lung and mitral stenosis in, 1108
 and pericarditis, 31
- Sclerosis**
 medial calcific, 1065
 progressive systemic and corticosteroid, 918
- Scoliosis**, and hernias, in white rats due to diet, 185-186
- Scopolamine**
 preliminary injection of, effect of, on epinephrine in thyrotoxic and euthyroid patients, 145
- Septum**
 atrial defect of
 and blood flow, 1000-1002
 in children, 651
 closure of ostium types of, 681-682
 electrocardiography in, 786, 1085
 and hypothermia, 128-129
 hypervolemic murmurs in, 761
 pulmonary arterial pressure, 1086
 and surgical repair, 756
 atrioventricular defect of, and movements of coronary sinus, 202
 auricular defect of, electrical axis in 224 patients with, 605-606
 interatrial defect
 noncyanotic heart disease with heart failure due to, 124-131
 and opacification of coronary sinus, 203
 interventricular defect of, 754-755
 and coarctation of aorta, 1082
 congenital, 132
 ventricular and auriculo-ventricular node, communication between terminal part of, in fetal heart, 180
 ventricular defect of
 in atypical tetralogy of Fallot, 237
 with arteriovenous shunts, 994-1003
- bidirectional shunting through, 764-765
 in congenital heart disease, 1085
 with defective septal leaflet of tricuspid valve, 813-818
 electrical axis in 348 patients with, 605-606, 607, 610
 electrocardiogram in, 1090
 with, pulmonary stenosis and left-to-right shunt, 752, 789, 994-1003, 1085
- Serotonin**
 antagonist, in treatment of carcinoïd-cardiac syndrome, 5-6
 in pentobarbital anesthetized dogs, 143
- Serpasil**, in hypertensive disease, 136, 138, 139
- Serum**
 iron in, after coronary occlusion and traumatic injuries, 133
 lactescence of, relation of neutral fat to, 1027
 lipoprotein in
 in advanced coronary artery disease, 695
 gonadal steroid influence on, 688
 sodium in
 and ACTH, in rheumatic fever, 894
 in congestive heart failure during treatment, 900-901
 total solute response to exercise, 91-92, 93
- Serum sickness**
 cardiovascular manifestations, 915-916
 steroid therapy for, 918
- Shock**
 arterial blood pressure response to, 931
 cerebral hemodynamics and metabolism during, 931
 coronary, experimental, 676
 hemorrhagic
 and antibiotics, 931-932
 bacterial factor in, 933-934
 irreversible, ACTH and cortisone in, 1091
 norepinephrine in, 314
 metabolic changes in heart muscle due to, 933
 and myocardial metabolism, 641, 933
 and vasopressor agents, 314
 intra-arterial blood transfusion, in treatment of, 140
 and myocardial infarction, adrenaï insufficiency in, 745
 normovolemic, and vasopressor agent, 314
 prolonged, recovery of patient in, after arterenal, 1100
 renal hemodynamics after vasopressor agents, 96-107
 surgical, intravenous vasopressors in, 939
 tourniquet
 electrolyte shifts and electrocardiographic changes during, 141

- injury and fluid accumulation due to, 933
- Shoulder-hand syndrome**, sensory nerve ischemia as part of, 737
- Shunt**
arteriovenous
and cross circulation, cardiac lesions in rabbits produced by, 685
hemodynamic and autonomic effect of, 695
pulmonary stenosis and ventricular septal defect with, 994-1003
circulatory, direct recording oximeter for evaluating, 788
interventricular, in atypical tetralogy of Fallot, 235
left-to-right
intracardiac, with pulmonic stenosis, 652
with pulmonic stenosis and ventricular septal defect, 789
left ventricular-right atrial, syndrome, 813-818
pulmonary artery, superior vena caval pressures after, 651
renal, in rats, 140
- Silicosis**, and pericarditis, 31
- Sinthrom**, in thromboembolism, 771
- Sinus**
aortic, aneurysms of, 700
arrhythmia, and change in posture, 143
carotid, and Takayasu syndrome, 140
coronary
arterialization of, 677
electrocardiography of, 310
reflux opacification of, cineangiocardiology in visualization of, 199-205
visualization of graft, and venous pathways of heart in living dogs, 308
- Sinus rhythm**
abnormal ballistic waves in, 860
atrial flutter converted to hemodynamics in, 514-518
and hyperventilation, 272
and idioventricular rhythm in surgically induced complete heart block, in dog, 83
in mitral commissurotomy, selection for, 14-16
and prostigmine and acetylcholine for ventricular fibrillation, 621-623
- Sinus tachycardia**, in mitral commissurotomy, selection for, 14-16
- Sitosterol**, beta
and brain extract, as hypocholesteremic agent, 727-728
in coronary artery disease, cholesterol response to, 709
- Skeleton**
deformities, due to dissecting aneurysm, 190, 191
involvement of, in Paget's disease, 216-218
- Skin**
blood pressure in minute vessels of, 1105
exposure of, to radiant heat, heart rate following, 1103
flushing of, with changing mottled cyanosis due to carcinoid-cardiac syndrome, 1-6
injury to, by histamine or ultraviolet radiation, vascular responses in, 1099
involvement of, in dermatomyositis, 914-915
temperature of, following Prisciline injection, 1101
- Skull**, involvement of, in Paget's disease, 216-218
- S-methyl-iso-thiourea**, in hypertension, 546, 974-979
- Smoking**
ballistocardiogram in response to, 783
cardiovascular responses, 767, 1097
electrocardiogram after, 315-316 by normal persons, 1098
- Sodium**
azide, clinical use of, 771
balance during recovery from congestive heart failure, 1057-1063
dietary, electrolyte changes due to restriction of, 625-629
200 mg., 654
diuresis, during corticotropin therapy of nephrotic syndrome, 1092
exchangeable
in congestive failure, 703, 897-902
method for determining, 898
with potassium, after norepinephrine, 144
in rheumatic fever after ACTH therapy, 891-896
in valvular lesions of heart, 1087, 1095
excretion of
adrenal medullary hormone, action on, 1092
and nonshocking hemorrhage, 1093
during shock, 99, 101, 104
renal, 724
in valvular lesions, 1087, 1095
radioactive, transepillary migration through pulmonary vascular bed, 734
retention, 703
vs. venous pressure in edema of congestive failure, 630-633
restriction, in hypertensive patients, 137-138
serum concentration
after exercise, 91-92
in myocardial infarction of elderly subjects, 210-213
- Sodium amytal test**, in hypertension following intravenous reserpine, 139
- Sodium bicarbonate**, and thermol sweat, electrolyte composition, 1101
- Sodium borate**, toxicity of, myocardial changes reflected in electrocardiogram, 1043-1046
- Sodium chloride**
and basal metabolism, 311
urinary excretion of, in edematous subjects, 1099
- Sodium nitrate**, diuretic effect of, vs. other diuretic agents in dogs, 722
- Space**, extracellular, measurement of, 940
- Spasm**, coronary artery, electrocardiography in, 656
- Spectrophotometric assay method**, of serum glutamic oxalacetic transaminase, 162, 167
- Spinal cord**
section, high, hemodynamic functions after, 934
- Spleen**
congenital absence of, with congenital heart disease, 649
involvement of, in systemic lupus erythematosus, 904-908
- Splenectomy**, hematocrit and blood volume following, 1103
- Spondylitis**, rheumatoid, and aortic insufficiency, 770
- Standstill**. See Arrest
- Staphylococcus albus**, endocarditis due to, 1086
- Steatorrhea**, idiopathic, myocardial changes due to potassium deficiency in, 935
- Stenosis**
aortic, 946
calcific, electrocardiography in, 309
calcific, serum cholesterol in, 150
central and peripheral arterial pressure pulses in, 791
congenital aortic, 695
mitral
arterial pulse pressures in, 932
Aschoff bodies in left auricular appendages in, 1107
ballistocardiograph in, 858-867
and cardiac catheterization, 70-71
cardiac cycle of left side of heart, 73-75
clinical and graphic, 718
comparison of methods for measurement of, 1107
with congestive heart failure, and digoxin, 726
devolutionary pattern of isolated, 740
electrocardiography in, 73-80
exercise tolerance test in, 946
hepatic circulation and function in, 699
implication of first sharp sound in, 753
kinetocardiograms in, 278-285
and mitral valvulotomy, 70-71
and opacification of coronary sinus, 203

Stenosis (Cont'd)

- oxygen removal ratio, after exercise, 774
- and pulmonary artery pressure, 858-867, 932
- pulmonary hemosiderosis in, 944
- pulmonary hypertension in, 1107, 1108
- rheumatic auriculitis associated with, 714
- right heart strain in, 1106
- roentgenograms of, 807-811
- and surgery, 8-9, 13, 680, 943
- technique for opening of, 948
- test for alteration of cardiodynamics of, 714
- with valvotomy, angiocardiogram in, 778
- vectorcardiography in, 1106
- water excretion, after exercise, 92
- pulmonary, 1102
 - in atypical tetralogy of Fallot, 235
 - electrocardiographic alterations in, 1085
 - experimental, in dogs, 314
 - experimental, surgical creation of, 692
 - with interatrial septal defect and opacification of coronary sinus, 203
 - intracardiac left - to - right shunt with, 652
 - muscular contraction in infundibular region as mechanism of, 764-765
 - redistribution of systemic blood flow in, 649
 - with ventricular septal defect, 752, 789, 994-1003, 1085
- pulmonary valvular
 - electrical axis in 177 cases, 605-606
 - with intact interventricular septum, 699
- tricuspid
 - hemodynamics of, 792
 - murmurs of, 761
 - in selection for mitral commissurotomy, 14-16
 - valvular, congestive failure due to and use of digitalis, 291
- Steroid**, individual, in mixtures, paper electrophoresis for identification of, 1104
- Stokes-Adams syndrome**
 - complete atrioventricular dissociation studies in, 729
 - molar sodium lactate, in treatment of, 678
 - sympathomimetic drugs for, cardiac rhythmicity and conduction after, 794
- Strain**
 - electrocardiogram vs. vectorcardiogram, 657, 1106
 - intracardiac pressure values in, 656
- Streptococcus**
 - group A
 - factors of, 943
 - during mitral commissurotomy, 780-781

infections of rheumatic fever, and penicillin, 945

Streptokinase

in experimental arterial thrombi, in dog, 145

intravenous continuous vs. intermittent infusion, 1106

Streptomycin, for enterococcal bacterial endocarditis, 305

Stress

psychological, consistency of response to, in prehypertensives and hypertensives, 719

workmen's compensation laws pertaining to, 656

Stroke volume

and age of subject, 560-562

in atrial flutter, 508, 514-515

new regression equations for estimation of work, 1016-1020

in surgically induced complete heart block in dog, 84-85

Strophanthidinic acid, and epinephrine, respiration response to, of heart muscle slices, 310

Strophanthin K, 118

extracardiac sites of action of, 937-938

Strophanthus gratus, 118, 122

ST-T segment

cardiac disturbances due to blood boron concentration reflected by, 1043-1046

in coronary sinus catheterization, 657

epicardial depression, experimental and clinical, primary, 762

influence of cardiac potassium quotient on, 657

and T-wave inversion, electrocardiographic changes in following Adrenalin, 136

ST-T wave, changes of pericarditis following surgery on heart, 165

Surgery

for angina pectoris, 955-961

on aortic valve, left heart catheterization in selection for, 680

in atrial septal defect, 736, 756

ostium primum and ostium secundum types, 681-682

for patent ductus arteriosus, in infants and children, 766

in coarctation of aorta

- with complications, 1080-1083
- during pregnancy, 650

direct repair of congenital intracardiac defects, 787

electrocardiography in cardiac, 657

cardioaortic fistula, 819-825

for heart block, technic for complete, in dogs, 259-260

in hypertension, 311-312

mitral commissurotomy, 7-29

mitral and/or aortic valve, left heart catheterization in selection of patients for, 680

in mitral insufficiency, total circumferential suture of mitral ring, 712

and mitral stenosis, 943

in occlusive coronary disease, 677

in noncyanotic heart disease with heart failure, 128-129

for popliteal aneurysms, 742

in rheumatic heart disease, 947

blood volume determinations in, 946

technique for production of complete heart block in dogs, 260, 268-269

S wave, in left ventricular hypertrophy, 820

Sympathectomy

extremity response to exercise after, 934

lumbar, in treatment of hypertensive ischemic ulcers of leg, 239-241

malignant hypertension treated by, ten year follow-up of, 749

renal, and renal vascular resistance, 142

Sympathetic nervous system, humoral mediators in, pharmacological and chemical study of, 145

Syphilis, arteritis due to, 1066

T-1824

in circulation time vs. age study, 561-565

and cuvette oximeter in intracardiac shunts, 999, 1003

early disappearance of, from circulation of rabbits, 1104

vs. methylene blue in study of heart disease, 706

and sodium thiosulfate space volume distribution of, in myocardial infarction of elderly subjects, 211-213

Tachycardia

paroxysmal

- atrial, 292, 298
- auricular, and hyperventilation, 273-276
- supraventricular, phenylephrine hydrochloride in, 1101
- ventricular, 273-276, 292

sinus, and use of digitalis, 292-293

supraventricular and ventricular electrocardiographic differentiation of, 1090-1091

and Takayashu syndrome, 140

ventricular

- digitalis for, 292
- idioventricular pacemaker in treatment of, 729

Takayashu syndrome, 1067

description of, 139-140

Taussig-Bing syndrome, complicated by aortic coarctation, 305-306

Teeth, bacteremia following extraction of, systemic and local antibiotic therapy in prevention of, 761

- Teleoroentgenogram**, in arteriosclerosis, primary pulmonary, 687
in syndrome of left ventricular-right atrial shunt, 814, 816
- Teleradiography**, in cardioaortic fistula, 820, 825
- Temperature**
cooling; and heart, 939
focal, arrhythmias caused by, 1091
and glucose utilization for contractile force by cat heart muscle, 1105
- Test**
of methods and formulas for cardiac work estimates, 1007-1020
transaminase, for myocardial infarction, 729
- Tetraethylammonium chloride**, and coronary insufficiency, 938
- Tetralogy of Fallot**, 789
atypical noncyanotic form with increased lung vascularity, 230-237
cardiac catheterization in diagnosis of, 132
coronary sinus reflex in, 202, 203
electrical axis in 845 patients with, 605-606, 609
electrocardiographic alterations in, 1085
review of unusual, 723
- Theory of Kent**, 176-183
- Thevetin**, and epinephrine, effect of on respiration of heart muscle slices, 310
- Thiamine**, concentration in heart, liver, and kidney, in congestive heart disease, 306
- Thiocyanate**
in circulation study in forearm, 772
ion and heavy water, transepillary migration of, in pulmonary circulation, 653
- Thoracotomy**, transaminase levels following, 164-167
- Thorax**, movement of, in congenital heart disease, 869
- Thorazine**, and Rauwolfia serpentina, combination of in treatment of hypertension, 700
- Thorn test**, and heavy physical exertion reactions, in analysis of physical insufficiency syndromes, 146
- Thrombin**, prothrombin activated to, by removal of anticoagulant, 648
- Thromboangitis obliterans**, 1066
and occlusive auricular thrombi, 256-257
superficial phlebitis in, phenylbutazone for, 834, 835
- Thrombocytopenic purpura**, thrombotic, 1067
- Thromboembolism**
complications in mitral commissurotomy, 984
after age of forty, 983
- Thrombophlebitis**
of peripheral veins as manifestation of systemic disease, 780
as possible clue to cryptic malignancy, 791
superficial, in extremities, treatment of with phenylbutazone, 833-836
- Thrombosis**
cerebral vascular and acute myocardial infarction, manifestation of, 701
coronary, workmen's compensation laws pertaining to, 656
in femoral artery, of dog, enzymatic dissolution of, 145
following trauma to limb, 949
intravascular and effects of Dicumarol and heparin, 553-555
mural, possible relation to rheumatic auriculitis associated with mitral stenosis, 714
occlusive, and cyanosis, heart failure and peripheral vascular collapse, 256
of renal veins with nephrotic syndrome, 950
venous, and blocking effect of heparin, 553-555
- Thrombus**
method for inducing, in rabbit ear vein, 784
occlusive auricular angiocardigraphic demonstration of, 247-249
ball-valve, pedunculated, and massive, 250-257
pedunculated, of right auricle, 255-257
subacute bacterial endocarditis arising in, following myocardial infarction, 242-245
- Thyroid**
function, radioiodine tests for assessment of, 136
hormones, epinephrine and nor-epinephrine, hemodynamic and metabolic interrelationships in activity of, 684
- Thyroidectomy**, and aortic dissection, 1071
- Thyrototoxicosis**, and use of digitalis, 293, 294
- Tietze's syndrome**, in chest pain diagnosis, 1101
- Tissue**
adipose, around heart, vectorcardiograms of beat in lead systems, 656
anaerobic metabolism of, in valvular heart disease, 725
cardiac conduction, distribution of, 763
changes in, due to heart block, 88
cultures, absorption of colloidal fat suspensions by vascular cells growing in, 738
extraction of heparin from, 305
metal concentrations, metabolic effects, 716
pericardial, thickened, and QRS voltage, 50
- perfusion reduction in, due to age of subject, 573-575
potassium, sodium and water of, in hypertension, and desoxycorticosterone and/or cortisone, 313
weight change and extracellular water change in edema due to congestive heart failure, 632
- T loop**, form, orientation and magnitude of spatial, and age of subject, 289-290
- Tobacco**
ballistocardiogram after smoking, 783
electrocardiogram after smoking, 315-316
and cardiovascular diseases, 1097
and cardiovascular system responses, 767
smoking by normal person, 1098
- Toe**, ischemic, blood flow and oxygen tension in, effect of oscillating bed on, 705-706
- Tomography**, in echinococcus disease, of left ventricle, 524, 525
- Tonephin**, following oxygen therapy, in congestive heart failure, 652
- Toxemia**
postpregnancy, neurogenic component in hypertension due to, 548
of pregnancy
analysis of 1051 cases and recognition of hypertension and pyelonephritis masquerading as, 704
cardiac enlargement and venous pressure, after digitalis, 293
- Toxicity**
cardiac, and nitroglycerine, 598-601
digitalis, 119, 121
manifestations of, 298-300
management of, 300-301
produced by Mepurate, mercury analysis, 54
- Tracheotomy**, and cardiovascular collapse in bulbar poliomyelitis, 987
- Transaminase**
serum glutamic oxalacetic and anoxia, 749
and coronary insufficiency, 736
electrocardiographic, correlation with, 756
and heart muscle damage, 735
and myocardial infarction, 161-167, 729, 756
in rheumatic fever, 754, 795-805
spectrophotometric assay, 162, 167
- Transfusion**, irreversibility to, in hemorrhagic shock, 931-932, 933-934
- Transplant**, vascular, effect of atherosclerosis on, experimentally induced, 690

Trauma

- chemical, mechanical and physical arteritis due to, 1067
- due to injuries, serum iron after, 133
- to limb, arterial spasm following, 949
- and pericarditis, 31, 37
- resulting from aortic dissection, 1072
- workmen's compensation law pertaining to, 656

Tricuspid valve

- defective septal leaflet of, with high ventricular septal defect, 813-818
- insufficiency of
 - in atrial fibrillation and atrial flutter, 518
 - in selection for mitral commissurotomy, 14-16
- section of Bundle of His through, 82, 88
- stenosis, hemodynamics of, 792

Triethanolamine trinitrate, for angina pectoris, long term study of, 720**Trilogy of Fallot**. *See* Tetralogy of Fallot**Tromexan**

- and blood flow, 648
- and circulation, 648
- and Dicumarol in recanalization of thrombosed veins, 784
- in management of myocardial infarction, 656

Trypsin, chymotrypsin, and plasminogen activators for dissolution of experimental arterial thrombi in dog, 145**Tryptophan**, abnormal metabolism of, and cardiovascular disease associated with malignant carcinoid, 776**Tuberculosis**

- and pericarditis, 30-31, 37, 40, 41
- cholesterol, 193, 197
- pulmonary, ballistocardiogram in, following lung collapse therapy, 927

Tubule, Mercurophylline and Mercuhydrin, enzymatic inhibitions due to, 930-931**Tumor**

- carcinoid in connective tissue, due to carcinoid-cardiac syndrome, 3
- vascular, hereditary, of nervous system, 306

T vector, location of termini of, in frontal and left sagittal planes, 288-289**T-wave**

- and Adrenalin changes, relationship of in anxiety state, 136
- in calcification of pericardium, 47, 48, 49, 50
- electrocardiographic and three-plane ballistocardiography, 874
- deflection of electrogram and repolarization of muscle membrane, 134
- in echinococcus disease of left ventricle, 521-523, 526-528

effect of smoking or injection

- nicotine on, 315-316
- after heart surgery, 165-166
- influence of cardiac potassium quotient on, 657
- in intermediate coronary artery syndrome, 656
- inversion in lead V₂ as indication for cardiovascular examination, in male, 134
- new empirical formula for opposite changes of, 658
- of post extra-systolic complexes, changes in and detection of organic heart disease, 734
- in presence of QRS complex, 787

Typhus, and use of digitalis, 291**Ulcer**

- hypertensive ischemic, lumbar sympathectomy in treatment of, 239-241
- stasis, antibiotic powders and dry dressings for, 937

Urea, urinary excretion of, after exercise, 91-93**Uremia**

- cardiac changes in mechanism of, 711-712
- and pericarditis, 31

Urine

- antidiuretic substance in, in cardiac patients with oliguria, 652
- coproporphyrin secretion in, in myocardial infarction and pulmonary embolism, 1096-1097
- excretion and renal artery compression, 147
- flow of
 - after benzodioxane on, in pheochromocytoma, 689
 - in congestive failure, 92-93
 - after exercise, 91
 - and merpurate, 54
- protein in and venous reactivity in hypertensive subjects, 65, 67
- sodium-retaining activity of material extracted from, in relation to sodium balance and edema, 310
- volume during hemorrhagic shock, 99, 101

Uterus

- carcinoma of, phenylbutazone for superficial phlebitis in, 835

U wave

- hemodynamic interpretation of, 134

Uzarin

- and epinephrine, effect of on respiration of heart muscle slices, 310

Vagotomy

- experimental findings and results of in dogs, and neurogenic factors in coronary disease, 770

Valsalva procedure

- and aortic dissection, 1072
- in heart failure, 686

Valsalva sinus, rupture of, into right ventricle, cardio-aortic fistula due to, 819-825**Valve**

- aortic. *See* Aortic valve
- functional disease of, congestive failure due to, and use of digitalis, 291
- lesions of, and sodium, exchangeable body and excretion in, 1087, 1095
- mitral. *See* Mitral valve
- pulmonary. *See* Pulmonary valve
- semilunar and commissures, suggested nomenclature for, 730
- tricuspid. *See* Tricuspid valve

Valvulotomy

- and auricular fibrillation, 76
- blood flow after, 77, 79
- slope volume and cardiac output in, before and after exercise, 728

Varicose vein, superficial phlebitis in phenylbutazone for, 834**Varidase**, clinical use of, in lysis of intravascular clots, 779**Vascular disease**

- degenerative, retinal vascular reactivity vs. renal function in, 64-67
- hypertensive, 1065

Vascular system

- collapse, symptom of occlusive thrombosis, 256
- response to heart block, experimental chronic, complete, 86
- and vasomotor receptors, 714-715

Vasculitis, nodular, 1067**Vasoconstriction**

- arteriolar, due to intracranial compression, 888
- and central nervous system, 448
- and digital, 789-790
- mechanism for, 448
- due to medullary lesion and viral myocarditis in acute poliomyelitis, 991-992
- neurogenic, 449
- renal, and Dibenzylamine, 104

Vasodepressor, hemodynamic response to, 314**Vasodilatation**

- and blood pressure, 448
- effect of Rauwolfia serpentina on, 222

Vasodilator, coronary

- long-acting drugs, 169-175, 767
- quinine and quinidine sulfate as, 793

Vasomotor tone, digital and nasal changes in during cooling, 722**Vasopressor**

- hemodynamics after, 314
- intravenous, in surgical shock, 939
- renal hemodynamic response to, 98-107, 314
- in shock
 - renal hemodynamics after, 96-107
 - surgical, 939

- Vector**, method for orthogonal components of, 838-844
- Vectorballistocardiogram**
in frontal, sagittal, and horizontal planes of body, recording of, with cathode ray oscilloscope, 134
- Vectorcardiogram**
of beats in different lead systems, normal and premature, 656
dependence on intracardiac pressure valves in right heart strain, 656
vs. electrocardiogram
in myocardial infarction, 711
in right heart strain, 657, 1106
spatial
in mitral and aortic valvular disease, 770
in normal subjects over age of forty years, 286-290
vs. silent electrocardiogram in myocardial infarction, 711
- Vectorcardiography**
differential, for study of P vector loop, 768
general networks for, central terminals in, 838-844
patterns in rheumatic heart disease, fifty-six autopsied cases, 788
precordial, 707
in right bundle branch block, 683
- Vein**
azygos, technic of anastomosing to right pulmonary artery, 651
cardiac, cineangiocardiology for visualization of, 202
coronary, effect of Tromexan on blood saturation in, 648
ear, method for inducing thrombi of desired length in, in rabbits, 784
peripheral thrombophlebitis of, as manifestation of systemic disease, 780
pulmonary
anomalous, 649-650, 782
ligation of for bronchospirometric determination of function, 733
roentgenologic studies of sphincter mechanism of, 150
retinal, and renal damage in degenerative vascular disease, 64-67
thrombosed, effect of Dicumarol and Tromexan on recanalization of, 784
- Vena cava**
left superior, and opacification of coronary sinus, 203
ostia of, and right atrium dynamics, 232
oxygen saturation of superior and inferior, comparison of, to mixed right ventricular blood, 649
roentgenologic study of sphincter mechanism, 150
superior, ligation of at entrance to heart, 651
- Venoconstriction**, peripheral, in congestive heart failure, 790
- Ventricle**
action potential, 135, 679
and repolarization in heart muscle, 134
arrhythmia
digitalis preparations in induction of, 121
ectopic, 718-719
pseudo, in Wolff-Parkinson-White syndrome, 754
sinus, and posture changes, 143
atrioventricular conduction and G deflection, 872-873
depolarization of, in dog, use of epicardial, intramural, cavity and septal leads in study of, 658
fibrillation
due to focal cooling, influence of acetylcholine and prostigmine on, 620-623
and myocardial metabolism, 642
prevention of, in hypothermic dog, 768
due to surgery for occlusive coronary artery, 677
treatment of, using capacitor discharge, 315
filling pressure, and pulsus alternans, 61-62
in hearts of fetus and newborn, 178-179, 182-183
hemodynamics after heart block, 739
and hyperventilation, 271-276
inefficiency of excessive rate, digitalis for, 291
infarction of left
in anterior and lateral aspects of, 307
of base, 751
left
echinococcal disease of, 526-528
implantation of internal mammary artery into, 677
mural thrombus in, 244
preponderance in V_5 in infancy and early childhood, 608-610
pressures and hemodynamics of left side of heart, 69-80
left, failure of
and carotid sinus stimulation, 653
dynamics of, during neurogenic hypertension, 757
rejection for mitral commissurotomy due to, 8-9, 13
left, work of
and age of subject, 570-575
after heart block, 86-87, 265
methods for estimation of, 1005-1020
left and right
atrial shunt syndrome, 813-818
balance of outputs, 140
mural thrombi in, 254, 256
rapid rate, and digitalis, 291-292
right
angiocardigram of, in atypical tetralogy of Fallot, 233
pressure curve, in auricular fibrillation, 865, 867
contractile strength of, and coronary artery pressure in, in dogs, 768
septal defects
in atypical tetralogy of Fallot, 237
with arteriovenous shunts, 994-1003
bidirectional shunting through, 764-765
in congenital heart disease, 1085
with defect in tricuspid valve, 813-818
electrocardiogram in, 605-610, 1090
with pulmonary stenosis, 752, 789, 994-1003, 1085
single
electrical axis in, 605-610
left, deviation in, 612-618
strain, quantitative estimation of, in limb leads, 658
weight of, and heart block, 87-88
- Veratrosine**, cardiodecelerator action of, 687
- Veratrum viride**
with *Rauwolfia serpentina*, hypotensive action of, 224
response to angiotonin after, in hypertension, 977
- Vessel**, transposition of great, in congenital heart disease, electrical axis in 127 patients with, 605-606
- Virus**
and rickettsial infections, arteritis due to, 1066
- Vitamin K**, vs. watersoluble vitamin K, 938
- Vomiting**, due to Merpurate, 58
- Water**
changes in metabolism, during recovery from congestive heart failure, 1061
crude, balance in myocardial infarction of elderly subjects, 211
diuresis during corticotropin therapy of nephrotic syndrome, 1092
excretion
adrenal medullary hormone action on, 1092
after adrenergic blockade, 1101
after compression of renal artery, 147
in congestive heart failure with valvular lesions, 1087
in edematous subjects, 1099
after exercise, 90-94
and head-down position, 1102
after nephrectomy, influence of adrenal on renoprival hypertension, 310
and nonshocking hemorrhage, 1093

Water (*Cont'd*)

- after pentolinium tartrate in hypertension, 690
- position and ambulation effects, in hypertension, 928-929
- renal, and drug therapy, 724
- and vasopressor agents during shock, 99, 101, 104
- extracellular, and weight loss during diuresis, 897
- heavy, and thiocyanate ion transcapillary migration, 653

- intracellular, and age of subject, 575
- retention, 631, 703
- and salt balance in experimental hypertensive rats, 709-710

WIN 2173

- pharmacology of, and cardiac effects, 1099

Wolff-Parkinson-White syndrome, pseudo-ventricular arrhythmias in, 754**Work**

- and age of subject, 570-575
- after heart block, 86-87, 265
- methods for estimation of, 1005-1020

Work classification unit, for cardiac patients, significance of, 724**Xanthine**, diuretic potency of, in congestive heart failure, 1086**X-ray**

- anatomy of coronary sinus opacification, and meaning of reflux, 199-205
- mass survey studies in detection of heart disease, 650
- therapy with, constrictive pericarditis after, 936

